

# COMP2012/G52LAC

## Languages and Computation Lecture 3

### Non-deterministic Finite Automata (NFA)

Henrik Nilsson

University of Nottingham

COMP2012/G52LAC Languages and Computation Lecture 3 – p.1/8

## Recap: Extended Transition Function

The **Extended Transition Function** is defined on a state and a **word** (string of symbols) instead of on a single symbol.

For a DFA  $A = (Q, \Sigma, \delta, q_0, F)$ , the extended transition function is defined by:

$$\begin{aligned}\hat{\delta} &\in Q \times \Sigma^* \rightarrow Q \\ \hat{\delta}(q, \epsilon) &= q \\ \hat{\delta}(q, xw) &= \hat{\delta}(\delta(q, x), w)\end{aligned}$$

where  $q \in Q, x \in \Sigma, w \in \Sigma^*$ .

COMP2012/G52LAC Languages and Computation Lecture 3 – p.3/8

## Recap: Formal Definition of DFA

Formally, a **Deterministic Finite Automaton** or **DFA** is defined by a 5-tuple

$$(Q, \Sigma, \delta, q_0, F)$$

where

- $Q$  : **Finite** set of States
- $\Sigma$  : Alphabet (finite set of symbols)
- $\delta \in Q \times \Sigma \rightarrow Q$  : Transition Function
- $q_0 \in Q$  : Initial or Start State
- $F \subseteq Q$  : Accepting (or Final) States

COMP2012/G52LAC Languages and Computation Lecture 3 – p.2/8

## Recap: Language of a DFA

The **language**  $L(A)$  defined by a DFA  $A$  is the set or words **accepted** by the DFA. For a DFA

$$A = (Q, \Sigma, \delta, q_0, F)$$

the language is defined by

$$L(A) = \{ w \in \Sigma^* \mid \hat{\delta}(q_0, w) \in F \}$$

COMP2012/G52LAC Languages and Computation Lecture 3 – p.4/8

## Formal Definition of NFA (1)

Formally, a **Nondeterministic Finite Automaton** or **NFA** is defined by a 5-tuple

$$(Q, \Sigma, \delta, S, F)$$

where

- $Q$  : Finite set of States
- $\Sigma$  : Alphabet (finite set of symbols)
- $\delta \in Q \times \Sigma \rightarrow \mathcal{P}(Q)$  : Transition Function
- $S \subseteq Q$  : Initial States
- $F \subseteq Q$  : Accepting (or Final) States

## Extended Transition Function

For an NFA, The **Extended Transition Function** is defined on a **set** of states and a **word** (string of symbols).

For a NFA  $A = (Q, \Sigma, \delta, S, F)$ , the extended transition function is defined by:

$$\begin{aligned}\hat{\delta} &\in \mathcal{P}(Q) \times \Sigma^* \rightarrow \mathcal{P}(Q) \\ \hat{\delta}(P, \epsilon) &= P \\ \hat{\delta}(P, xw) &= \hat{\delta}\left(\bigcup\{\delta(q, x) \mid q \in P\}, w\right)\end{aligned}$$

where  $P \in \mathcal{P}(Q)$  (or  $P \subseteq Q$ ),  $x \in \Sigma$ ,  $w \in \Sigma^*$ .

## Formal Definition of NFA (2)

Note:

- The transition function maps a state and an input symbol to **zero or more** successor states. Thus an NFA has “choice”; hence “nondeterministic”.
- However, nothing ambiguous about the **language** defined by an NFA! **Not** the case that some word  $w \in L(A)$  sometimes, and  $w \notin L(A)$  other times for some NFA  $A$ .
- How? By considering **all possible** states simultaneously.

## Language of an NFA

The **language**  $L(A)$  defined by an NFA  $A$  is the set or words **accepted** by the NFA. For an NFA

$$A = (Q, \Sigma, \delta, S, F)$$

the language is defined by

$$L(A) = \{ w \in \Sigma^* \mid \hat{\delta}(S, w) \cap F \neq \emptyset \}$$