

# Decidability and Semidecidability via Ordinals\*

Nicolai Kraus<sup>1</sup>, Fredrik Nordvall Forsberg<sup>2</sup>, and Chuangjie Xu<sup>3</sup>

<sup>1</sup> University of Nottingham, Nottingham, UK

<sup>2</sup> University of Strathclyde, Glasgow, UK

<sup>3</sup> fortiss GmbH, Munich, Germany

**Constructive notions of ordinals.** Ordinal numbers, or simply *ordinals*, can be seen as a generalisation of the natural numbers. They allow the characterisation of possibly infinite orders, and termination proofs are one of their main applications. There are various formulations of (initial segments of) ordinals that coincide in a classical setting, but have very different behaviour constructively. One such formulation is the ordinal notation system of Cantor normal forms (binary trees with a certain property; different presentations are presented in [FXG20]). Another formulation are set-theoretic ordinals (extensional, transitive, wellfounded orders; developed in [Uni13, Chp 10.3] and [Esc21]). Yet another formulation are Brouwer ordinal trees (constructed with zero, successors, and limits; cf. Kleene’s  $\mathcal{O}$  [Chu38, Kle38]). We have compared these three formulations at TYPES’21 [KNFX21b], and a full publication is now available [KNFX21a].

**Decidability and partial decidability of properties of ordinals.** As a rule of thumb, Cantor normal forms have decidable properties as long as we only consider finitely many of them: We can always check whether two given trees are equal, or which of the two represents the larger ordinal, and so on. It is similarly clear that properties of set-theoretic ordinals are generally undecidable: If  $P$  is proposition (or *subsingleton*, i.e. a type with at most one element), then the empty order on  $P$  is a set-theoretic ordinal. Being able to decide whether this ordinal  $P$  is equal to 1 directly corresponds to the law of excluded middle. Brouwer ordinal trees sit in the “sweet spot” in the middle: some of their properties are fully decidable, but many are “partially” decidable. In this work, we explore how this can be expressed and which statements can be proved internally in homotopy type theory.

**Brouwer ordinal trees.** Of course, how much is decidable about Brouwer ordinal trees depends on how exactly we define them. A very basic version is the inductive type  $\mathcal{O}$  with constructors  $\text{zero} : \mathcal{O}$ ,  $\text{succ} : \mathcal{O} \rightarrow \mathcal{O}$ , and  $\text{sup} : (\mathbb{N} \rightarrow \mathcal{O}) \rightarrow \mathcal{O}$ , as sometimes considered in the functional programming community. This type is however too simplistic for our purposes and, unlike the other discussed formulations of ordinals, does not even come with the “correct” notion of equality; if  $s : \mathbb{N} \rightarrow \mathcal{O}$  is a sequence, then  $\text{sup}(s_0, s_1, s_2, \dots)$  and  $\text{sup}(s_1, s_0, s_2, \dots)$  are different trees. In [KNFX21a], we construct the type  $\text{Brw} : \mathbf{hSet}$  mutually with a relation  $\leq : \text{Brw} \rightarrow \text{Brw} \rightarrow \mathbf{hProp}$  *quotient inductive-inductively* [ACD<sup>+</sup>18]. The constructors for  $\text{Brw}$  are  $\text{zero} : \text{Brw}$ ,  $\text{succ} : \text{Brw} \rightarrow \text{Brw}$ , and  $\text{limit} : (\mathbb{N} \xrightarrow{\leq} \text{Brw}) \rightarrow \text{Brw}$ , where  $\mathbb{N} \xrightarrow{\leq} \text{Brw}$  are *strictly* increasing sequences. In addition, we have a path constructor  $\text{bisim} : f \approx^{\leq} g \rightarrow \text{limit } f = \text{limit } g$ , where  $f \approx^{\leq} g$  means that  $f$  and  $g$  are bisimilar sequences.

**Decidable properties of Brouwer trees.** The notion of *decidability* is standard: We say that a proposition  $P$  is decidable if we have  $P + \neg P$ , and a predicate  $R : \text{Brw} \rightarrow \mathbf{hProp}$  is decidable if every  $R(x)$  is decidable.

---

\*Supported by the Royal Society, grant reference URF\R1\191055, and the UK National Physical Laboratory Measurement Fellowship project *Dependent types for trustworthy tools*.

**Lemma 1.** *It is decidable whether  $x : \mathbf{Brw}$  is finite, i.e. whether it is in the image of the obvious map  $\mathbb{N} \rightarrow \mathbf{Brw}$ . If  $n$  is a finite ordinal, then equality with  $n$  and comparisons with  $n$  are decidable; i.e. the predicates  $(- = n)$ ,  $(- > n)$ , and  $(- < n)$  are decidable. Similarly, the predicates  $(- < \omega)$  and  $(- \geq \omega)$  are decidable.*

*Proof.* This is a consequence of the fact that  $\mathbf{Brw}$  satisfies the classification property of [KNFX21a]: For a given ordinal, we can check whether it is zero, a successor, or a limit, and a limit cannot be finite. Note that this argument crucially relies on the fact that our limit constructor takes *strictly* increasing sequences as argument. Without this requirement, all of the properties mentioned in the lemma would be incorrect.  $\square$

Note that, while  $(- \geq \omega)$  is decidable, being able to decide  $(- > \omega)$  is equivalent to LPO, which states:  $\forall f : \mathbb{N} \rightarrow \mathbf{2}. (\exists n. f_n = 1) \vee (\forall n. f_n = 0)$ .

**Partial decidability.** While internal decidability is standard, other notions of synthetic computability theory (cf. [BR87, Bau06, FKS19]) are not used as much. In our work, we consider three formulations of partial decidability. Let  $P$  be a proposition:

1. We say that  $P$  is *semidecidable* if  $\exists \alpha : \mathbb{N} \rightarrow \mathbf{Bool}. (\exists i. \alpha_i = 1) \leftrightarrow P$ . This definition is due to Bauer [Bau06] (see also [EK17, FLWD<sup>+</sup>18, dJ22]).
2. Using the free  $\omega$ -complete partial order on the unit type [ADK17], equivalent to the *Sierpinski type*  $\mathcal{S}$  [Vel17, CUV19], one can define  $P$  to be *Sierpinski-semidecidable* if  $\exists s : \mathcal{S}. (s = \top) \leftrightarrow P$ . This notion of semidecidability has been used by Gilbert [Gil17].
3. If  $x : \mathbf{Brw}$  is an ordinal, we can say that  $P$  *can be decided in  $x$  steps* if  $\exists y : \mathbf{Brw}. (y > x) \leftrightarrow P$ .

**Lemma 2.**  *$P$  is semidecidable if and only if it can be decided in  $\omega$  steps. If  $P$  is semidecidable, then it is also Sierpinski-semidecidable.*

*Proof.* It is easy to translate between *semidecidable* and *decidable in  $\omega$  steps*. Given a binary sequence  $\alpha$ , we define an increasing sequence  $f : \mathbb{N} \rightarrow \mathbf{Brw}$  by  $f_0 \equiv \mathbf{zero}$ ,  $f_{n+1} \equiv f_n + \omega^{\alpha_n}$ . Similarly, given  $x : \mathbf{Brw}$ , we define a binary sequence  $\alpha$  as follows: if  $x$  is finite, then  $\alpha$  is constantly 0. Otherwise, if  $x$  is a successor (and infinite),  $\alpha$  is constantly 1. The remaining case is that  $x$  is  $\mathbf{limit}(f)$ . If  $f_n$  is finite, we define  $\alpha_n$  to be 0, else 1. In both cases, we have  $(\exists i. \alpha_i = 1) \leftrightarrow (x > \omega)$ .

In the same way, given a binary sequence  $\alpha$ , we immediately get  $s : \mathcal{S}$  by taking the least upper bound of  $\alpha$ .  $\square$

A problem that may separate semidecidability and Sierpinski-semidecidability is the following:

**Proposition 3.** *Given  $x : \mathbf{Brw}$  and  $n, k : \mathbb{N}$ , it is Sierpinski-semidecidable whether  $x > \omega \cdot n + k$ .*

*Proof.* We define  $s_{\omega \cdot n + k}(x) : \mathcal{S}$  by induction on  $x$  and transfinite induction on  $\omega \cdot n + k$ . The most interesting case is  $s_{\omega \cdot (n+1)}(\mathbf{limit}(f))$ , which we define as the least upper bound of the sequence  $i \mapsto s_{\omega \cdot n}(f_i)$ . This uses that the limit of a sequence  $f$  is, for any  $i$ , at least  $f_i + \omega$ .  $\square$

We expect, but have not proved, that  $x > \omega \cdot n + k$  cannot be decided in  $\omega$  steps. Finally, we give examples for properties that are decidable in a number of steps different from  $\omega$ :

**Proposition 4.** *The following three statements are equivalent: (1)  $P$  is decidable; (2)  $P$  is decidable in 0 steps; (3)  $P$  is decidable in a finite number of steps.  $\square$*

**Proposition 5.** *The twin prime conjecture is decidable in  $\omega^3$  steps. More generally, if  $P : \mathbb{N} \rightarrow \mathbf{hProp}$  is semidecidable and  $P(n+1)$  implies  $P(n)$ , then  $\forall n. P(n)$  is decidable in  $\omega^3$  steps.  $\square$*

In the future, we hope to explore internal semidecidability and its applications further.

## References

- [ACD<sup>+</sup>18] Thorsten Altenkirch, Paolo Capriotti, Gabe Dijkstra, Nicolai Kraus, and Fredrik Nordvall Forsberg. Quotient inductive-inductive types. In *International Conference on Foundations of Software Science and Computation Structures (FoSSaCS 2018)*, pages 293–310. Springer, Cham, 2018.
- [ADK17] Thorsten Altenkirch, Nils Anders Danielsson, and Nicolai Kraus. Partiality, revisited. In *International Conference on Foundations of Software Science and Computation Structures (FoSSaCS 2017)*, pages 534–549. Springer, 2017.
- [Bau06] Andrej Bauer. First steps in synthetic computability theory. *Electronic Notes in Theoretical Computer Science*, 155:5–31, 2006.
- [BR87] Douglas Bridges and Fred Richman. *Varieties of constructive mathematics*, volume 97. Cambridge University Press, 1987.
- [Chu38] Alonzo Church. The constructive second number class. *Bulletin of the American Mathematical Society*, 44:224–232, 1938.
- [CUV19] James Chapman, Tarmo Uustalu, and Niccolò Veltri. Quotienting the delay monad by weak bisimilarity. *Mathematical Structures in Computer Science*, 29(1):67–92, 2019.
- [dJ22] Tom de Jong. Agda development on constructive taboos surrounding semidecidability, 2022. Available at [cs.bham.ac.uk/~mhe/TypeTopology/SemiDecidable.html](https://cs.bham.ac.uk/~mhe/TypeTopology/SemiDecidable.html).
- [EK17] Martín H Escardó and Cory M Knapp. Partial elements and recursion via dominances in univalent type theory. In *26th EACSL Annual Conference on Computer Science Logic (CSL 2017)*. Schloss Dagstuhl – Leibniz-Zentrum fuer Informatik, 2017.
- [Esc21] Martín Escardó. Agda implementation: Ordinals, Since 2010–2021. <https://www.cs.bham.ac.uk/~mhe/TypeTopology/Ordinals.html>.
- [FKS19] Yannick Forster, Dominik Kirst, and Gert Smolka. On synthetic undecidability in Coq, with an application to the Entscheidungsproblem. In *8th ACM SIGPLAN International Conference on Certified Programs and Proofs (CPP 2019)*, pages 38–51, 2019.
- [FLWD<sup>+</sup>18] Yannick Forster, Dominique Larchey-Wendling, Andrej Dudenhefner, Edith Heiter, Marc Hermes, Dominik Kirst, Mark Koch, Fabian Kunze, Gert Smolka, Simon Spies, Dominik Wehr, and Maximilian Wuttke. Coq library of undecidability proofs, since 2018. Available online at [github.com/uds-psl/coq-library-undecidability](https://github.com/uds-psl/coq-library-undecidability), see especially the file [theories/Synthetic/Definitions.v](#).
- [FXG20] Fredrik Nordvall Forsberg, Chuangjie Xu, and Neil Ghani. Three equivalent ordinal notation systems in cubical Agda. In *9th ACM SIGPLAN International Conference on Certified Programs and Proofs (CPP 2020)*, pages 172–185, 2020.
- [Gil17] Gaëtan Gilbert. Formalising real numbers in homotopy type theory. In *Proceedings of the 6th ACM SIGPLAN Conference on Certified Programs and Proofs*, pages 112–124, 2017.
- [Kle38] S. C. Kleene. On notation for ordinal numbers. *The Journal of Symbolic Logic*, 3(4):150–155, 1938.
- [KNFX21a] Nicolai Kraus, Fredrik Nordvall Forsberg, and Chuangjie Xu. Connecting constructive notions of ordinals in homotopy type theory. In *46th International Symposium on Mathematical Foundations of Computer Science (MFCS 2021)*, volume 202 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 70:1–70:16, 2021.
- [KNFX21b] Nicolai Kraus, Fredrik Nordvall Forsberg, and Chuangjie Xu. Constructive notions of ordinals in homotopy type theory, 2021. Abstract, presented at TYPES’21.
- [Uni13] The Univalent Foundations Program. *Homotopy Type Theory: Univalent Foundations of Mathematics*. <http://homotopytypetheory.org/book/>, Institute for Advanced Study, 2013.
- [Vel17] Niccolò Veltri. *A type-theoretical study of nontermination*. PhD thesis, Tallinn University of Technology, 2017.