

LiU-FP2016: Lecture 1

Review of Haskell: A lightening tour in 90 minutes

Partly adapted from slides by Graham Hutton

University of Nottingham, UK

LiU-FP2016: Lecture 1 – p.1/78

This Lecture (1)

Review of basic Haskell features and concepts:

- Recap of much of the first few chapters of Learn You a Haskell. Your chance to:
 - ask questions
 - catch up :-)
- Introduce you to some additional features that we will use or are generally useful.
- Point out some common pitfalls

LiU-FP2016: Lecture 1 – p.2/78

What is a Functional Language? (1)

Which functional languages are you aware of?

Surprisingly hard to give a precise definition.
One reasonable if pragmatic view:

- Functional programming is a *style* of programming in which the basic method of computation is function application.
- A functional language is one that *supports* and *encourages* the functional style.

(Another, complementary perspective later.)

LiU-FP2016: Lecture 1 – p.3/78

What Is a Functional Language? (2)

This “definition” covers:

- **Pure** functional languages: no side effects
 - (Weakly) declarative: equational reasoning valid (with care); *referentially transparent*.
 - Examples: Haskell, Agda, Idris, Elm
- **Mostly** functional languages: some side effects
 - Equational reasoning valid for pure fragments.
 - Examples: ML, OCaml, Scheme, Erlang
- Arguably even covers *multi-paradigm* languages
 - Examples: F#, Scala, JavaScript

LiU-FP2016: Lecture 1 – p.4/78

Example: Computing Sums (1)

Summing the integers from 1 to 10000 in Java:

```
total = 0;
for (i = 1; i <= 10000; ++i)
    total = total + 1;
```

The method of computation is to *execute operations in sequence*, in particular *variable assignment*.

LiU-FP2016: Lecture 1 – p.5/78

Example: Computing Sums (2)

Summing the integers from 1 to 10000 in the functional language Haskell:

```
sum [1..10000]
```

The method of computation is *function application*.

Of course, essentially the same program could be written in, say, Java. Does that make Java a functional language? *Discuss!*

LiU-FP2016: Lecture 1 – p.6/78

Example: Computing Sums (3)

Some reasons not to adopt the “functional approach” in Java:

- Syntactically awkward (even given suitable library definitions)
- Temporarily creating a list of 10000 integers just to add them seems highly objectionable; not good Java style.

But isn't the second point a good argument against the “functional approach” in *general*?

LiU-FP2016: Lecture 1 – p.7/78

Example: Computing Sums (4)

Actually, no!

- *Nothing says the entire list needs to be created at once.*
In *lazy* languages, like Haskell, the list will be generated as needed, element by element.
- *Nothing says the list needs to be created at all!*

Compilers for functional languages, thanks to equational reasoning being valid, are often able to completely *eliminate* intermediate data structures.

LiU-FP2016: Lecture 1 – p.8/78

Example: Computing Sums (5)

- Note that the Haskell code is *modular*, while the Java code is not.
- Being overly prescriptive regarding computational details (evaluation order) often hampers modularity.

We will discuss the last point in more depth later.

LiU-FP2016: Lecture 1 – p.9/78

Typical Functional Features (1)

Nevertheless, some typical features and characteristics of functional languages can be identified:

- Light-weight notation geared at
 - defining functions
 - expressing computation through function application.
- Functions are first-class entities.
- Recursive (and co-recursive) function and data definitions central.

LIU-PP2016: Lecture 1 – p.10/78

The GHC System (1)

- GHC supports Haskell 98, Haskell 2010, and many extensions
- GHC is currently the most advanced Haskell system available
- GHC is a compiler, but can also be used interactively: ideal for serious development as well as teaching and prototyping purposes

LIU-PP2016: Lecture 1 – p.13/78

Function Application (1)

In mathematics, function application is denoted using parentheses, and multiplication is often denoted using juxtaposition or space.

$f(a,b) + c d$

“Apply the function f to a and b , and add the result to the product of c and d .”

LIU-PP2016: Lecture 1 – p.16/78

Typical Functional Features (2)

- Implementation techniques aimed at executing code expressed in a functional style efficiently.

More?

LIU-PP2016: Lecture 1 – p.11/78

The GHC System (2)

On a Unix system, GHCi can be started from the prompt by simply typing the command `ghci`:

```
isis-1% ghci
_ _ \ \ / \ / _ _ 
/ _ \ \ / \ / / _ _ \ 
/_\_ \ / \ / / / _ _ \ 
/_\_ \ / \ / / / _ _ \ 
\_ \ / \ / \ / \ / _ _ \ 

GHC Interactive, version 6.3, for Haskell 98.
http://www.haskell.org/ghc/
Type :? for help.

Loading package base ... linking ... done.
Prelude>
```

LIU-PP2016: Lecture 1 – p.14/78

Function Application (2)

In Haskell, *function application* is denoted using *space*, and multiplication is denoted using ***.

$f\ a\ b + c*d$

Meaning as before, but Haskell syntax.

LIU-PP2016: Lecture 1 – p.17/78

This and the Following Lectures

- In this and the following lectures we will explore *Purely Functional Programming* in the setting of *Haskell*.
- Some themes:
 - Lazy evaluation
 - Purely functional data structures
 - Effects purely
 - Advanced typeful programming

LIU-PP2016: Lecture 1 – p.12/78

The GHC System (3)

The GHCi `>` prompt means that the GHCi system is ready to evaluate an expression. For example:

```
> 2+3*4
14

> reverse [1,2,3]
[3,2,1]

> take 3 [1,2,3,4,5]
[1,2,3]
```

LIU-PP2016: Lecture 1 – p.15/78

Function Application (3)

Moreover, function application is assumed to have *higher priority* than all other operators. For example:

$f\ a + b$

means

$(f\ a) + b$

not

$f\ (a + b)$

LIU-PP2016: Lecture 1 – p.18/78

What is a Type?

Deep question! But for now:

A **type** is a name for a collection of related values. For example, in Haskell the basic type

```
Bool
```

contains the two logical values

```
False True
```

(Haskell's type system is **nominal** as opposed to structural: a type is only equal to itself.)

LIU-PP2016: Lecture 1 – p.19/78

List Types (1)

A **list** is sequence of values of the **same** type:

```
[False, True, False] :: [Bool]
```

```
['a', 'b', 'c', 'd'] :: [Char]
```

In general:

`[t]` is the type of lists with elements of type `t`.

LIU-PP2016: Lecture 1 – p.22/78

Aside: Naming Conventions

Haskell **enforces** certain naming conventions. For example:

- Type constructors (like `Bool`) and value constructors (like `True`) always begin with a capital letter.
- Variables (including function names) always begin with a lowercase letter.

A somewhat similar convention applies to infix operators where constructors are distinguished by starting with a colon (`:`).

LIU-PP2016: Lecture 1 – p.25/78

Types in Haskell

- If evaluating an expression `e` would produce a value of type `t`, then `e` has type `t`, written $e :: t$
- Every well-formed expression has a type. It can **usually** be calculated automatically at compile time using a process called **type inference** or **type reconstruction** (Hindley-Milner).
- However, giving manifest type declarations for at least top-level definitions is good practice.
- Sometimes **necessary** to state type explicitly, e.g. polymorphic recursion.

LIU-PP2016: Lecture 1 – p.20/78

List Types (2)

Haskell defines the string type to be a list of characters:

```
type String = [Char]
```

String syntax is supported. For example:

```
"abcd" = ['a', 'b', 'c', 'd']
```

Note that the keyword `type` just introduces a **type synonym** or **type alias**. In contrast, `data` and `newtype` introduce new types.

LIU-PP2016: Lecture 1 – p.23/78

Function Types (1)

A **function** is a mapping from values of one type to values of another type:

```
not :: Bool -> Bool
```

In general:

$t_1 \rightarrow t_2$ is the type of functions that map values of type `t1` to values to type `t2`.

LIU-PP2016: Lecture 1 – p.26/78

Basic Types

Haskell has a number of **basic types**, including:

<code>Bool</code>	Logical values
<code>Char</code>	Single characters
<code>Int</code>	Fixed-precision integers
<code>Integer</code>	Arbitrary-precision integers
<code>Double</code>	Double-precision floating point

LIU-PP2016: Lecture 1 – p.21/78

Tuple Types

A tuple is a sequence of values of **different** types:

```
(False, True) :: (Bool, Bool)
```

```
(False, 'a', True) :: (Bool, Char, Bool)
```

In general:

(t_1, t_2, \dots, t_n) is the type of n -tuples whose i^{th} component has type `ti` for $i \in [1 \dots n]$.

LIU-PP2016: Lecture 1 – p.24/78

Function Types (2)

If a function needs more than one argument, pass a tuple, or use **Currying**:

```
(&&) :: Bool -> Bool -> Bool
```

This really means:

```
(&&) :: Bool -> (Bool -> Bool)
```

Idea: a function is applied to its arguments one by one. This allows **partial application**.

LIU-PP2016: Lecture 1 – p.27/78

Aside: Functions and Operators

- Any (infix) operator can be used as a (prefix) function by enclosing it in parentheses. E.g.:

```
True && False
```

is equivalent to

```
(&&) True False
```

- Any function can be used as an operator by enclosing it in back quotes. E.g.:

```
add 1 2
```

is equivalent to

```
1 `add` 2
```

LIU FP2016: Lecture 1 - p.26/78

Exercise 1

Given:

```
id :: a -> a
not :: Bool -> Bool
foo :: (a -> a) -> a -> a
fie :: (forall a . a -> a) -> a -> a
```

what is the type of each of:

```
foo id :: ?? forall a . a -> a
foo not :: ?? Bool -> Bool
fie id :: ?? forall a . a -> a
fie not :: ?? Type error
```

LIU FP2016: Lecture 1 - p.31/78

Hoogle

Hoogle is a Haskell API search engine:

```
http://www.haskell.org/hoogle/
```

Allows searching by function name or by **approximate type signature**.

For example, searching on

```
(a -> b) -> [a] -> [b]
```

turns up `map`, `fmap`, ...

LIU FP2016: Lecture 1 - p.34/78

Polymorphic Functions (1)

A function is called **polymorphic** ("of many forms") if its type contains one or more type variables.

```
length :: [a] -> Int
```

"For any type `a`, `length` takes a list of values of type `a` and returns an integer."

This is called **Parametric Polymorphism**.

LIU FP2016: Lecture 1 - p.29/78

Types are Central in Haskell

Some reasons:

- Expressive type system:
 - Parametric Polymorphism
 - Type classes
 - Many extensions ...
- Types say a **lot** about a function because Haskell is a pure language: no side effects (Referential Transparency).
For example, a function of type `Int -> Int` can only return an integer (or fail to terminate, which admittedly is a side effect).

LIU FP2016: Lecture 1 - p.30/78

Conditional Expressions

As in most programming languages, functions can be defined using **conditional expressions**:

```
abs :: Int -> Int
abs n = if n >= 0 then n else -n
```

Alternatively, such a function can be defined using **guards**:

```
abs :: Int -> Int
abs n | n >= 0    = n
      | otherwise = -n
```

LIU FP2016: Lecture 1 - p.35/78

Polymorphic Functions (2)

The type signature of `length` is really:

```
length :: forall a . [a] -> Int
```

- It is understood that `a` is a type variable, and thus it ranges over all possible types.
- Haskell 2010 does not allow explicit `forall`s: all type variables are implicitly qualified at the outermost level.
- GHC extensions allow explicit `forall`s (e.g. `-XRankNTypes` or equivalent `LANGUAGE pragma`).

LIU FP2016: Lecture 1 - p.30/78

Parametricity

In fact, due to a property called **parametricity**, it goes even further: polymorphic types give rise to **free theorems** (Wadler 1989). For example:

For **any** function `r :: forall a . [a] -> [a]`, and every total function `f :: t1 -> t2` for some specific types `t1` and `t2`, we have:

```
map f . r = r . map f
```

This holds by virtue of `r`'s polymorphic type: no need to even consider its definition!

LIU FP2016: Lecture 1 - p.33/78

Pattern Matching (1)

Many functions have a particularly clear definition using **pattern matching** on their arguments:

```
not :: Bool -> Bool
not False = True
not True  = False
```

LIU FP2016: Lecture 1 - p.36/78

Pattern Matching (2)

Case expressions allow pattern matching to be performed wherever an expression is allowed, not just at the top-level of a function definition:

```
not :: Bool -> Bool
not b = case b of
    False -> True
    True  -> False
```

LIU-PP2016: Lecture 1 - p.37/78

List patterns (2)

Functions on lists can be defined using `x:xs` patterns:

```
head :: [a] -> a
head (x:_) = x

tail :: [a] -> [a]
tail (_:xs) = xs
```

(Aside: partial. Generally, Haskell programmers strive to avoid defining or using partial functions.)

LIU-PP2016: Lecture 1 - p.40/78

Lambda Expressions

A function can be constructed without giving it a name by using a **lambda expression**:

```
\x -> x + 1
```

“The nameless function that takes a number `x` and returns the result `x + 1`”

Note that the ASCII character `\` stands for λ (lambda).

LIU-PP2016: Lecture 1 - p.43/78

Aside: Layout

Haskell uses **layout** (indentation) to group code into blocks. For example, the following is a **syntax error**:

```
not b = case b of
    False -> True
    True  -> False
```

Alternatively, explicit braces and semicolons can be used. It's even possible to mix and match:

```
not b = case b of {
    False -> True ;
    True  -> False }
```

LIU-PP2016: Lecture 1 - p.38/78

Pattern Matching and Guards

Pattern matching and guards may be combined:

```
dropWhile :: (a->Bool) -> [a] -> [a]
dropWhile _ [] = []
dropWhile p xxs@(x:xs)
    | p x      = dropWhile p xs
    | otherwise = xxs
```

(Note the as-pattern (@).)

LIU-PP2016: Lecture 1 - p.41/78

Currying Revisited

All functions in Haskell are (nested) λ -abstractions. This explains how Currying works.

For example:

```
add x y = x+y
```

means

```
add = \x -> (\y -> x+y)
```

Thus:

```
add 7 = (\x -> (\y -> x+y)) 7
      = (\y -> 7+y)
```

LIU-PP2016: Lecture 1 - p.44/78

List Patterns (1)

Internally, every non-empty list is constructed by repeated use of an operator `(:)` called “**cons**” that adds an element to the start of a list, starting from `[]`, the **empty list**.

Thus:

```
[1, 2, 3, 4]
```

means

```
1:(2:(3:(4:[])))
```

LIU-PP2016: Lecture 1 - p.36/78

List Comprehensions

List comprehensions, similar to standard mathematical set notation, are very useful for expressing computations on lists:

```
[ x * x | x <- [1..10], odd x ]
= [1, 9, 25, 49, 81]
```

```
[ (x,y) | x <- [1..10],
          y <- [1..10],
          even (x + y) ]
= [(1,1), (1,3), (1,5), ...
   ... (10,8), (10,10)]
```

LIU-PP2016: Lecture 1 - p.45/78

Aside: Operator Sections

Another syntactic nicety in Haskell is partially applied operators or **operator sections**. For example:

```
(+1) = \x -> x + 1  Add 1
(1+) = \x -> 1 + x  Add 1
(*2) = \x -> x * 2  Multiply by 2
(/2) = \x -> x / 2  Divide by 2
(1/) = \x -> 1 / x  Reciprocal
```

LIU-PP2016: Lecture 1 - p.45/78

Recursive Definitions

- Definitions in Haskell may in general be (mutually) recursive.
- Order of definition is immaterial.

```
foo x = ... fum (x - 1) ...
fie x = ... fie (x - 1) ...
fum x = ... foo (x - 1) ...
```

- To allow inference of maximally polymorphic types, definitions are grouped into minimal recursive groups prior to type checking.

LIU FP2016: Lecture 1 - p.46/78

Data Declarations (2)

What happens is:

- A new type `Bool` is introduced
- **Constructors** (functions to build values of the type) are introduced:

```
False :: Bool
True  :: Bool
```

(In this case, just constants.)

- Because constructor functions are bijective, and thus in particular injective, pattern matching can be used to take values of defined types apart.

LIU FP2016: Lecture 1 - p.49/78

Recursive Types (2)

A value of type `Nat` is either `Zero`, or of the form `Succ n` where `n :: Nat`. That is, `Nat` contains the following infinite sequence of values:

```
Zero
```

```
Succ Zero
```

```
Succ (Succ Zero)
```

LIU FP2016: Lecture 1 - p.52/78

Local Definitions

Haskell provides two ways to introduce local definitions:

- `let`-expressions
- `where`-clauses

```
f x = h x + c      g x = let
  where           h x = x * x
                 c = 100
                 in
                 h x + c
```

Again, the definitions can be (mutually) recursive.

LIU FP2016: Lecture 1 - p.47/78

Data Declarations (3)

Values of new types can be used in the same ways as those of built in types. E.g., given:

```
data Answer = Yes | No | Unknown
```

we can define:

```
answers :: [Answer]
answers = [Yes, No, Unknown]
```

```
flip :: Answer -> Answer
flip Yes    = No
flip No     = Yes
flip Unknown = Unknown
```

LIU FP2016: Lecture 1 - p.50/78

Recursion and Recursive Types

Using recursion, it is easy to define functions that convert between values of type `Nat` and `Int`:

```
nat2int :: Nat -> Int
nat2int Zero    = 0
nat2int (Succ n) = 1 + nat2int n
```

```
int2nat :: Int -> Nat
int2nat 0    = Zero
int2nat n | n >= 1 = Succ (int2nat (n - 1))
```

LIU FP2016: Lecture 1 - p.53/78

Data Declarations (1)

A new type can be declared by specifying its set of values using a **data declaration**. For example, `Bool` is in principle defined as:

```
data Bool = False | True
```

LIU FP2016: Lecture 1 - p.48/78

Recursive Types (1)

New types can be declared in terms of themselves. That is, types can be (mutually) **recursive**:

```
data Nat = Zero | Succ Nat
```

`Nat` is a new type with constructors

- `Zero :: Nat`
- `Succ :: Nat -> Nat`

Effectively, we get both a new way to form terms and typing rules for these new terms.

LIU FP2016: Lecture 1 - p.51/78

Parameterized Types

Types can also be parameterized on other types:

```
data List a = Nil | Cons a (List a)
```

```
data Tree a = Leaf a
            | Node (Tree a) (Tree a)
```

Resulting constructors:

```
Nil  :: List a
Cons :: a -> List a -> List a
Leaf :: a -> Tree a
Node :: Tree a -> Tree a -> Tree a
```

LIU FP2016: Lecture 1 - p.54/78

Overloading (1)

Haskell supports a form of **overloading**: using the same name to refer to different definitions depending on the involved types. For example:

```
(==) :: Eq a => a -> a -> Bool
```

This means == is defined for any type *a* belonging to the **type class** `Eq`.

This style of overloading is also known as **ad hoc polymorphism**.

LIU-PP2016: Lecture 1 - p.56/78

Modules in Haskell (1)

- A Haskell program consists of a set of **modules**.
- A module contains definitions:
 - functions
 - types
 - type classes
- The top module is called `Main`:

```
module Main where

main = putStrLn "Hello World!"
```

LIU-PP2016: Lecture 1 - p.56/78

Qualified Names (1)

The **fully qualified name** of an entity *x* defined in module *M* is `M.x`.

```
g x = A.f1 x * A.f2 x + f3 x
```

Note! Different from function composition!!!
Always write function composition with spaces:

```
f . g
```

The module **name space** is **hierarchical**, with names of the form $M_1.M_2\dots.M_n$. This allows related modules to be grouped together.

LIU-PP2016: Lecture 1 - p.61/78

Overloading (2)

In particular, `Bool` and `Char` both belong to `Eq`, so the following two expressions are well-typed:

```
True == False
'a' == 'b'
```

Behind the scenes, the equality test is dispatched to the appropriate function for `Bool` and `Eq` respectively.

A powerful (and unusual) aspect of Haskell's approach to overloading is that overloading on the result type is possible. E.g.:

```
read :: Read a => String -> a
```

LIU-PP2016: Lecture 1 - p.56/78

Modules in Haskell (2)

By default, only entities defined within a module are in scope. But a module can **import** other modules, bringing their definitions into scope:

```
module A where
f1 x = x + x
f2 x = x + 3
f3 x = 7

module B where
import A
g x = f1 x * f2 x + f3 x
```

LIU-PP2016: Lecture 1 - p.56/78

Qualified Names (2)

Fully qualified names can be used to resolve name clashes. Consider:

```
module A where      module C where
f x = 2 * x          import A
                    import B

module B where
f x = 3 * x          g x = A.f x + B.f x
```

Two **different functions** with the **same unqualified name** *f* in scope in *C*. Need to write `A.f` or `B.f` to disambiguate.

LIU-PP2016: Lecture 1 - p.62/78

Overloading (3)

We will discuss type classes in more depth later. However, it is useful to know that Haskell allow class instances for new types to be **derived** for a handful of built in classes, notably `Eq`, `Ord`, and `Show`:

```
data Nat = Zero
        | Succ Nat
        deriving (Eq, Ord, Show)
```

Now show `(Succ (Succ Zero))` yields `"Succ (Succ Zero)"`.

LIU-PP2016: Lecture 1 - p.57/78

The Prelude

There is one special module called the **Prelude**. It is **imported implicitly** into every module and contains standard definitions, e.g.:

- Basic types (`Int`, `Bool`, tuples, `[]`, `Maybe`, ...)
- Basic arithmetic operations (`+`, `*`, ...)
- Basic tuple and list operations (`fst`, `snd`, `head`, `tail`, `take`, `map`, `filter`, `length`, `zip`, `unzip`, ...)

(It is possible to explicitly exclude (parts of) the Prelude if necessary.)

LIU-PP2016: Lecture 1 - p.60/78

Import Variations

Another way to resolve name clashes is to be more precise about imports:

```
import A (f1, f2)      Only f1 and f2
import A hiding (f1, f2) Everything but f1 and f2
import qualified A     All names from A imported fully qualified only.
```

Can be combined in all possible ways; e.g.:

```
import qualified A hiding (f1, f2)
```

LIU-PP2016: Lecture 1 - p.63/78

Export Lists

It is also possible to be precise about what is **exported**:

```
module A (f1, f2) where
  ...
```

Various abbreviations possible; e.g.:

- A type constructor along with all its value constructors
- Everything imported from a specific module

LIU-PP2016: Lecture 1 - p.64/78

Labelled Fields (3)

Can we do better? Yes, we can introduce a new type with **named fields**:

```
data Person = Person {
  name      :: String,
  age       :: Int,
  phone     :: String,
  postcode  :: String
}
deriving (Eq, Show)
```

LIU-PP2016: Lecture 1 - p.67/78

Update (1)

Fields can be “updated”, creating new values from old:

```
> henrik { phone = "1234567" }
Person {name = "Henrik", age = 25,
  phone = "1234567",
  postcode = "NG92YZ"}
```

Note: This is a **functional** “update”! The old value is left intact.

LIU-PP2016: Lecture 1 - p.70/78

Labelled Fields (1)

Suppose we need to represent data about people:

- Name
- Age
- Phone number
- Post code

One possibility: use a tuple:

```
type Person = (String, Int, String, String)
henrik = ("Henrik", 25, "8466506", "NG92YZ")
```

LIU-PP2016: Lecture 1 - p.65/78

Labelled Fields (4)

Labelled fields are just “syntactic sugar”: the defined type really is this:

```
data Person = Person String Int String String
```

and can be used as normal.

However, additionally, the field names can be used to facilitate:

- Construction
- Update
- Selection
- Pattern matching

LIU-PP2016: Lecture 1 - p.68/78

Update (2)

How does “update” work?

```
henrik { phone = "1234567" }
```

gets translated to something like this:

```
f (Person a1 a2 _ a4) =
  Person a1 a2 "1234567" a4
```

```
f henrik
```

LIU-PP2016: Lecture 1 - p.71/78

Labelled Fields (2)

Problems? Well, the type does not say much about the purpose of the fields! Easy to make mistakes; e.g.:

```
getPhoneNumber :: Person -> String
getPhoneNumber (_, _, _, pn) = pn
```

or

```
henrik = ("Henrik", 25, "NG92YZ", "8466506")
```

LIU-PP2016: Lecture 1 - p.66/78

Construction

We can construct data without having to remember the field order:

```
henrik = Person {
  age = 25,
  name = "Henrik",
  postcode = "NG92YZ",
  phone = "8466506"
}
```

LIU-PP2016: Lecture 1 - p.69/78

Selection

We automatically get a **selector function** for each field:

```
name      :: Person -> String
age       :: Person -> Int
phone     :: Person -> String
postcode  :: Person -> String
```

For example:

```
> name henrik
"Henrik"
> phone henrik
"8466506"
```

LIU-PP2016: Lecture 1 - p.72/78

Pattern matching

Field names can be used in pattern matching, allowing us to forget about the field order and pick **only** fields of interest.

```
phoneAge (Person {phone = p, age = a}) =
  p ++ ": " ++ show a
```

This facilitates adding new fields to a type as most of the pattern matching code usually can be left unchanged.

LIU FP2016: Lecture 1 – p.75/78

Distinct Field Labels for Distinct Types

It is **not** possible to have the same field names for **different** types! The following does not work:

```
data X = MkX { field1 :: Int }

data Y = MkY { field1 :: Int, field2 :: Int }
```

One work-around: use a prefix convention:

```
data X = MkX { xField1 :: Int }

data Y = MkY { yField1 :: Int, yField2 :: Int }
```

LIU FP2016: Lecture 1 – p.76/78

Multiple Value Constructors (1)

```
data Being = Person {
    name      :: String,
    age       :: Int,
    phone     :: String,
    postcode  :: String
}
| Alien {
    name      :: String,
    age       :: Int,
    homeworld :: String
}
deriving (Eq, Show)
```

LIU FP2016: Lecture 1 – p.74/78

Advantages of Labelled Fields

- Makes intent clearer.
- Allows construction and pattern matching without having to remember the field order.
- Provides a convenient update notation.
- Allows to focus on specific fields of interest when pattern matching.
- Addition or removal of fields only affects function definitions where these fields really are used.

LIU FP2016: Lecture 1 – p.77/78

Multiple Value Constructors (2)

It is OK to have the same field labels for different constructors as long as their types agree.

LIU FP2016: Lecture 1 – p.75/78

Reading

- John Hughes. Why Functional Programming Matters. *The Computer Journal*, 32(2):98–197, April 1989.
- Philip Wadler. Theorems for Free! In *Functional Programming Languages and Computer Architecture, FPCA'89*, 1989
- Paul Hudak, John Peterson, Joseph Fasel. *A Gentle Introduction to Haskell* <http://www.haskell.org/tutorial/>
- Miran Lipovača. *Learn You a Haskell for Great Good!* <http://learnyouahaskell.com/>

LIU FP2016: Lecture 1 – p.78/78