

G51PRG: Introduction to Programming Second semester Lecture 12

Natasha Alechina
School of Computer Science & IT
`nza@cs.nott.ac.uk`

Previous lecture: threads

- What is a thread
- Why use multiple threads
- Issues and problems involved
- Java threads

Lecture 12: networking

2

This lecture:networking

How to make your program to make network connections
(java.net package)

- Connecting via URLs
- Connecting via ports and sockets

Lecture 12: networking

3

URL

- URL is the acronym for Uniform Resource Locator. It is a reference (an address) to a resource on the Internet.
- A URL takes the form of a string that describes how to find a resource on the Internet. URLs have two main components: the protocol needed to access the resource and the location of the resource. For example, `http://www.cs.nott.ac.uk/`
- Java programs can use a class called URL in the java.net package to represent a URL address.

Lecture 12: networking

4

URL class

- The simplest constructor:
`URL(String url)`
throws a `MalformedURLException`.

- Example:
`URL school = new`
`URL("http://www.cs.nott.ac.uk/");`

Lecture 12: networking

5

URL class: constructors

- More complicated constructor:
`public URL(String protocol,`
`String host,`
`int port,`
`String file)`
throws `MalformedURLException`.
Example: `http://www.ncsa.uiuc.edu:8080/demoweb/url-primer.html`
`URL u = new`
`URL("http", "www.ncsa.uiuc.edu", 8080,`
`"demoweb/url-primer.html");`

Lecture 12: networking

6

URL class: methods

- **String getFile()** - returns the file name of this URL.
- **String getHost()** - returns the host name of this URL, if applicable.
- **int getPort()** - returns the port number of this URL.
- **InputStream openStream()** - opens a connection to this URL and returns an **InputStream** for reading from that connection.
- **URLConnection openConnection()** - returns a **URLConnection** object that represents a connection to the remote object referred to by the URL.

Lecture 12: networking

7

Reading contents of a URL

- Use **openStream()** method of **URL** class.
- ```
URL example = new
URL("http://www.cs.nott.ac.uk/~nza");
BufferedReader in = new
BufferedReader(new InputStreamReader(
 example.openStream()));
String inputLine;
while((inputLine = in.readLine()) != null)
 System.out.println(inputLine);
in.close();
```

Lecture 12: networking

8

## Creating a URL connection

- Alternative: create a **Connection** object and read and write using its methods.

```
URL example = new
URL("http://www.cs.nott.ac.uk/~nza");
URLConnection ex =
 example.openConnection();
BufferedReader in = new
BufferedReader(new InputStreamReader(
 ex.getInputStream()));
```

Lecture 12: networking

9

## Writing to a URL

- You can also write to a URL connection (filling in forms, for example). More on

<http://java.sun.com/docs/books/tutorial/networking/urls/readingWriting.html>

Lecture 12: networking

10

## Ports and Sockets


- URLs are a high-level mechanism for accessing resources on the Internet. Client-server applications require lower-level network communication.
- A **port** is an abstraction of a physical place through which communication can proceed between a server and a client.
- A **socket** is an abstraction of a network software which enables communication in an out of the program.

Lecture 12: networking

11

## Ports and Sockets continued

- Several sockets (for connecting clients) can be created on a single port (server).
- To be more precise, a server accepts a client on the server port and creates a socket for them on a different port. However, Java hides those details from you.



Lecture 12: networking

12

## ServerSocket class

One of the constructors:

- **ServerSocket(int port)** - creates a server socket on a specified port.

Some methods:

- **Socket accept()** - listens for a connection to be made to this socket and accepts it.
- **void close()** - closes this socket.
- **InetAddress getInetAddress()** - returns the local address of this server socket.
- **int getLocalPort()** - returns the port on which this socket is listening.

Lecture 12: networking

13

## Socket class

Some of the constructors:

- **Socket(String host, int port)** - creates a stream socket and connects it to the specified port number on the named host.
- **Socket(InetAddress address, int port)** - creates a stream socket and connects it to the specified port number at the specified IP address.

Lecture 12: networking

14

## Socket class

Some methods:

- **void close()** - closes this socket.
- **InetAddress getInetAddress()** - returns the address to which the socket is connected.
- **int getLocalPort()** - returns the local port to which this socket is bound.
- **OutputStream getOutputStream()** - returns an output stream for this socket.

Lecture 12: networking

15

## Writing a client server application

- Write a server class (what does the server do; at least should open a ServerSocket)
- Write a client class
- Write a protocol for communication between client and server
- When the server is running, it creates a thread to deal with each new client.

Lecture 12: networking

16

## Case study: chat server

- The program (slightly modified) from Judy Bishop's *Java Gently*.
- A chat server program is running on some machine listening on a specified port. When it gets a request for connection, it creates a thread which adds the new client to a list of clients and reads on a stream from that client.
- When a client types something, this message is read by the server and broadcast to all other clients.
- We don't have to implement a protocol since we use a ready made one: telnet. Clients are also just people telnetting in and chatting, not programs.

Lecture 12: networking

17

## ChatServer

```
import java.io.*;
import java.net.*;
import java.util.*;

public class ChatServer {

 private static LinkedList clientList =
 new LinkedList();
 private static int id = 0;
```

Lecture 12: networking

18

## ChatServer contd.

```
static synchronized void broadcast(String
message, String name) throws IOException{
 Socket s;
 PrintWriter p;
 for (int i = 0; i < clientList.size();
 i++) {
 s = (Socket)clientList.get(i);
 p = new PrintWriter (
 s.getOutputStream(), true);
 p.println(name+": "+message); }}
```

Lecture 12: networking

19

## ChatServer contd.

```
static synchronized void remove(Socket s)
{
 clientList.remove(s);
 id--;
}
```

Lecture 12: networking

20

## ChatServer contd.

```
public static void main(String[] args)
 throws IOException {
 //Get the port and create a socket there.
 int port = 8190; // default
 if (args.length > 0)
 port = Integer.parseInt(args[0]);
 ServerSocket listener = new
 ServerSocket(port);
 System.out.println("The Chat Server is
 running on port "+port);
```

Lecture 12: networking

21

## ChatServer contd.

```
// Listen for clients.
// Start a new handler for each.
// Add each client to the list.
while (true) {
 Socket client = listener.accept();
 new ChatHandler(client).start();
 System.out.println("New client no."+id+
 " on client's port "+client.getPort());
 clientList.add(client);
 id++; } } // end while and end main()
```

Lecture 12: networking

22

## ChatHandler

```
class ChatHandler extends Thread {
 private BufferedReader in;
 private PrintWriter out;
 private Socket toClient;
 private String name;

 ChatHandler(Socket s) {
 toClient = s;
 }
}
```

Lecture 12: networking

23

## ChatHandler continued

```
public void run() {
 try {
 in = new BufferedReader(
 new InputStreamReader(
 toClient.getInputStream()));
 out = new PrintWriter(
 toClient.getOutputStream(), true);
 out.println("**** Welcome to the Chatter
 ****");
 out.println("Type BYE to end");
```

Lecture 12: networking

24

## ChatHandler continued

```
out.print("What is your name? ");
out.flush();
String name = in.readLine();
ChatServer.broadcast(name+" has joined
 the discussion.", "Chatter");
```

Lecture 12: networking

25

## ChatHandler continued

```
while (true) {
 String s = in.readLine();
 if (s.startsWith("BYE")) {
 ChatServer.broadcast(name+" has left
 the discussion.", "Chatter");
 break;
 }
 ChatServer.broadcast(s, name);
} // end while
```

Lecture 12: networking

26

## ChatHandler continued

```
ChatServer.remove(toClient);
toClient.close();
} catch (Exception e) {
 System.out.println("Chatter error:
 "+e);
}} // end catch, run(), class definition
```

Lecture 12: networking

27

## Summary

- Java is highly suitable for networking and communication over the Internet.
- java.net provides classes for URLs and sockets.
- A detailed case study of client/server application (cash dispensers) can be found in Java Gently Chapter 14. More examples can be found on <http://java.sun.com/docs/books/tutorial/networking/index.html>.

Lecture 12: networking

28