

# Relative monads formalised

THORSTEN ALTENKIRCH

School of Computer Science, University of Nottingham

JAMES CHAPMAN

Institute of Cybernetics, Tallinn University of Technology

and

TARMO UUSTALU

Institute of Cybernetics, Tallinn University of Technology

---

Relative monads are a generalisation of ordinary monads where the underlying functor need not be an endofunctor. In this paper, we describe a formalisation of the basic theory of relative monads in the interactive theorem prover and dependently typed programming language Agda. The formalisation comprises the requisite basic category theory, the central concepts of the theory of relative monads and adjunctions, which are compared to their ordinary counterparts, and two running examples from programming theory.

---

## 1. INTRODUCTION

Relative monads [ACU10] are a generalisation of ordinary monads to cover similar structures where the underlying functor need not be an endofunctor. Our interest in this generalisation was triggered by structures from programming theory that, in many ways, are strikingly similar to monads (even respecting the same laws) and have similar programming applications, but nonetheless fail to be monads. Some examples of relative monads include untyped and typed  $\lambda$ -terms, finite-dimensional vector spaces, and Hughes's arrows.

In this paper, we describe a formalisation of the basic theory of relative monads in the interactive theorem prover and dependently typed programming language Agda [Agda]. This formalisation work is motivated by a number of basic observations.

First of all, by moving from a conventional functional programming language like Haskell [Haskell] to a dependently typed language like Agda [Agda], we gain the opportunity to formally certify our programs. Indeed, we are able to move from programs to “deliverables”, which pair programs with proofs of correctness with respect to a given specification; the correctness proof can be automatically verified by a type checker.

Second, since monads are the most successful pattern in conventional functional programming, we should expect that they play a central role in dependently typed

---

T. Altenkirch was supported by the Engineering and Physical Sciences Research Council (EPSRC) grant no. EP/G034109/1. J. Chapman and T. Uustalu were supported by the Estonian Centre of Excellence in Computer Science, EXCS, financed by the European Regional Development Fund, and the Estonian Ministry of Education and Research target-financed theme no. 0140007s12. J. Chapman was also supported by the Estonian Science Foundation grant no. 9219. T. Uustalu was also supported by the Estonian Science Foundation grant no. 6940.

functional programming. But in fact, with dependent types, we should go beyond monads. Sticking to conventional functional programming practice and using dependent types for certified programming (*à la deliverables*) would be a missed opportunity, we should reconceive programming, in one sense by fusing our programs and proofs but also by writing new programs made possible by dependent types, from which one cannot simply extract a Haskell program with a less precise type.

Once we move to a more fine-grained type system, such as Agda's, it becomes clear that the conventional notion of a monad is unnecessarily restrictive, since it fails to account for the monad-like structures we encounter in programming that are not endofunctors. We would like to contend that, in a dependently typed setting, it is only natural to go on from monads to relative monads, as they are more general, but not more complex. In Haskell, the opportunity arises only in a restricted form: we can speak of functors from subcategories of the category of Haskell types [O12].

Third, we think that the present work is an interesting example of the mutual influence of theoretical work and formalisation. Not only does the formal development necessitate a review and refinement of structures inherited from mathematics, but the development generates demands on the language and system used — Agda. In fact, in the case of our study of relative monads, we worked on the formalisation in parallel with the theoretical work and indeed both influenced each other.

The third point is reflected in our approach to extensionality. Agda's propositional equality is proof irrelevant but not extensional with respect to functions. We use both properties of propositional equality in our formalisation. We prove proof irrelevance and assume extensionality of functions. At first, it sounds somewhat drastic to just assume extensionality: Is it not dangerous? Why do we not just assume absurdity and have done with it? However, it has been shown by Hofmann [H95] that extensionality is a conservative extension of intensional type theory. Altenkirch et al. [AMS07] have shown that it is possible to introduce a type theory with an extensional propositional equality without giving up decidable type checking and other computational properties of the system. Another deficiency of Agda's propositional equality is that it does not support quotients, but we have no need for them in this formalisation. If we did need them we would postulate them, as we do in another formalization effort [CUV14].

Previous formalisations of category theory in type theory and higher-order logic include [D85, AP90, DG94, HS98, C98, W05, CS07, S10, OK04, D07]. The formalisations in intensional type theory have used setoids (i.e., sets with an equivalence relation) to model the homsets of a category while being content with a set for the collection of objects. Our experience is that using setoids quickly becomes unwieldy and introduces an unacceptable overhead to the formal development. Moreover, it is not clear what should be a set and what should be a setoid. E.g., in the case of a category, one could argue that both objects and homsets should be setoids to give a direct account of constructions such as the arrow category. These choices would then lead to many related but different implementations of the same concept, which is clearly unacceptable and also unfeasible.

Our intention in this work is not to develop a category theory library for Agda and we do not argue that the approach taken here is the only way or even the best way to do this. Instead, this development has been carried out as part of our

research on relative monads not as an after-the-fact verification, but as a day-to-day tool for prototyping and sanity checking. However, this development is intended to be a substantial experiment in formalising category theory in Agda for the purposes of finding out whether our approach and the type theory and implementation of Agda are fit for purpose. We will address these points in the conclusion.

We have striven to make the development as self-contained as possible, not relying on libraries for stability in this situation. As already mentioned above, we make extensive use of proof-irrelevance of propositional equations (provable in Agda) and extensionality of functions (assumed). Both developments are available online [C14].

Apart from some necessary basics of categories, the formalisation covers essentially Section 2 of [ACU10] on relative monads, relative adjunctions, Kleisli and Eilenberg-Moore adjunctions, with a special focus on two examples: well-scoped untyped  $\lambda$ -terms and typed  $\lambda$ -terms. We are in the process of formalizing the later sections on relative monads as monoids in suitable functor categories and the examples of finite-dimensional vector spaces and Hughes's arrows. Progress in some of these directions depends on further improvements to Agda.

The paper is organised as follows. In Section 2, we introduce our approach using the example of monoids. As we discuss this example, we introduce Agda's syntax and develop the required utilities for our formalisation. In Section 3, we introduce the background category theory that we need in order to discuss relative monads and our examples: categories, functors, natural transformations, and set-indexed categories (a special case of functor categories). Next, we introduce relative monads and several examples (well-scoped and well-typed  $\lambda$ -terms) in Section 4. When we introduce relative versions of structures, we always relate them to their ordinary counterparts as a pedagogical device. In Section 5, we introduce relative adjunctions, describe how they can be composed to form relative monads, and how relative monads can be split into relative adjunctions. We also develop the examples further.

The paper assumes no knowledge of category theory or monads and adjunctions, in the sense that we define everything as we go along. But familiarity with these topics will help the reader appreciate what we do.

## 2. MONOIDS

Basic algebraic structures can be defined as follows: first we define some data (e.g., a set and some operations on it), which provides the basic structure; and second we define some laws, which govern how the data (e.g., an operation) behaves. An example which fits this pattern is a monoid. A monoid is given by the following data: a set; a distinguished element; and a binary operation on the set.

$$(S, \epsilon, \cdot)$$

These data are subject to the following laws:

$$\begin{aligned}
 & \textbf{Left unit law} & \epsilon \cdot m &= m & \text{where } m \in S \\
 & \textbf{Right unit law} & m \cdot \epsilon &= m & \text{where } m \in S \\
 & \textbf{Associativity} & (m \cdot n) \cdot o &= m \cdot (n \cdot o) & \text{where } m, n, o \in S
 \end{aligned}$$

In Agda [Agda], we can use a dependent record to represent a monoid quite naturally. Both the data and the laws are contained in the record as a sequence of fields. The laws are represented as propositional equations. The data is explicitly represented as a sequence of fields in a record which is itself a **Set** (Agda's notation for a type). Each field has an explicit type which can refer to the fields that came before (Eg.  $\epsilon$ 's type is the preceding field **suc**). The three equational laws are represented as fields in the same record:

```

record Monoid : Set where
  field S    : Set
  ε      : S
  _·_   : S → S → S
  lid   : {m : S} → ε · m ≅ m
  rid   : {m : S} → m · ε ≅ m
  ass   : {m n o : S} → (m · n) · o ≅ m · (n · o)
  
```

Let us look more closely at the Agda syntax introduced in this definition: first, we begin the definition with **record** then the name of the record (**Monoid** in this case); next, we could give some parameters, but none are necessary here; finally, we say that this has type **Set** and end the line with **where**. The fields of the record are preceded by the **field** keyword. Next, we name three fields and give their types. Agda supports unicode characters, so  $\epsilon$  is a perfectly good identifier. Infix operators (like  $_·_$ ) are named with underscores, indicating where the arguments go, and  $_→_$  is the non-dependent function space, indicating that, in the case of  $_·_$  that it takes two elements of **suc** and always returns an element of **S**. Next we give the laws. They are fields, so they must have names and their types are the equations which they enforce. Universal quantification (or  $\Pi$ -type, they are the same in Agda) is written as  $(a : A) → B$ . In this definition we use implicit universal quantification  $\{a : A\} → B$ , as these arguments can often be inferred. This is just a notational convenience: we are free to leave explicit arguments implicit (by giving them as an underscore  $_$ ) or give implicit arguments explicitly (by enclosing them in curly braces  $\{n\}$ ).

Compare this type of definition with Haskell, we can define the operations of a monoid and define an instance of a monoid (e.g. natural numbers, zero and addition), but we cannot show inside the system that this instance would obey the laws of a monoid. In Agda, we can do both: we can write programs that make use of algebraic structure and we can reason about them, and in the process make extra guarantees that the we really have the structures that we say we do. In fact, we go further than just allowing such guarantees to be stated; we *insist* that they

are met. A monoid carries with it the guarantee that the monoid laws are satisfied. If it does not satisfy the laws, we cannot give it the type of monoid.

Our intention is not to *encode* monoids in type theory, but to explain what a monoid *is* in type theory, and then from this point on, use the language of type theory, as opposed to informal mathematical notation, to discuss monoids and other structures. Having given the example of monoids in both informal notation and formally in type theory, we will from now on give only formal definitions. If type theory is to be a language of mathematics, then one should be able to use it as a language of mathematical explanations. It is our opinion that Haskell is already quite effective as a language for explaining programming ideas, on a computer, on a whiteboard, or on the back of an envelope. It is our hope that type theory (as it is in Agda and related languages) can be a language for explaining not just programming ideas but also mathematical ideas.

Before moving on to consider the categorical machinery we will need later, we will first show, by way of an example, that natural numbers with zero and addition form a monoid.

First, we give the inductive definition of natural numbers in Agda. We define an inductive datatype with two constructors: `zero` for zero; and `suc` for successor which takes a natural number and returns another natural number.

```
data N : Set where
  zero : N
  suc : N → N
```

Any natural number can be seen to have either `zero` or `suc` as its outermost constructor. For this reason when writing functions that consume natural numbers we need only consider the canonical cases of `zero` or `suc n`.

We define addition as an infix operator `_+_\n` by recursion on the first argument. In Agda, we do not need to indicate that we are doing recursion on the first argument in our definition, instead Agda's termination checker checks that our recursion is valid after the fact. It is valid in this case, as our recursive call takes a structurally smaller first argument `m`. Indeed, we use only structural recursion in this paper.

```
_+_\n : N → N → N
zero + n = n
suc m + n = suc (m + n)
```

Next, we can show that `N`, `zero` and `_+_\n` form a monoid:

```
NMon : Monoid
NMon = record{
  S    = N;
  ε    = zero;
  _·_ = _+_\n;
  lid = refl;
  rid = ?;
  ass = ?}
```

We have defined a new record `NMon` with type `Monoid` and begun to fill in the fields. The data is as follows: the underlying set is `N`; the unit element is `zero`; and the

binary operation is given by `_+_`. Next we must give proofs of the laws, specialised to this monoid. The left unit law is trivial; its type is `zero + m = m`. This law holds up to definitional equality (`=`). It is just the first line of the *definition* of `_+_`. Hence, it automatically computes to `m = m` and can be proved by reflexivity. The other two laws, whose types are `m + zero = m` and `(m + n) + o = m + (n + o)` respectively, do not compute any further automatically and require more involved proofs. In Agda, unfinished parts of a definition are denoted by a question mark `?`. It should be noted that the formalisation contains no unfinished parts. In this paper we will give some incomplete definitions and fill them in later (as we do here) and also leave some definitions incomplete. In the latter case we will give a sketch of the missing term but omit its precise form due to reasons of space and/or readability.

Before proving the laws as separate lemmas and filling in the two question marks, we take the opportunity to examine propositional equality and a useful general lemma. In this paper, we rely on the following definition of propositional equality:

```
data _≈_ {A : Set} : {A' : Set} → A → A' → Set where
  refl : {a : A} → a ≈ a
```

This is a heterogeneous version of Martin-Löf's identity type (known to some as John Major equality). It allows us to state an equality between elements of different types. However, its only canonical inhabitant is reflexivity, where both the types and the terms on the either side of the equation are identical. At first glance this definition appears very restrictive, in fact it isn't, `refl` is the only primitive rule (constructor) but the definition admits a lot of useful derived rules (functions/lemmas) such as transitivity, symmetry, substitutivity, etc. One could instead make these derived rules primitive but having only one primitive rule means we need only consider one case when pattern matching on equality proofs. Pattern matching on `refl` is in itself a powerful device as it can trigger unification as explained below.

A useful lemma (derived rule), which we will use very soon, states that functions take equal arguments to equal results:

```
cong : ∀{A}{B : A → Set}(f : ∀ a → B a){a a' : A} →
      a ≈ a' → f a ≈ f a'
cong f p = ?
```

Using the notation  $\forall$ , we can introduce an universally quantified variable, but leave its type to be inferred. In this case, the type of `A` must be `Set`, as it is the domain of `B`, and the type of `a` must be `A`, as it is applied to `B`. The type of the question mark is `f a ≈ f a'`. To carry out the proof, we pattern-match on `p`, which is a proof of the equation `a ≈ a'`. The only inhabitant of an equation is `refl`, and hence `a` and `a'` must be identical. By performing this pattern match, `a` and `a'` get unified in the context and the goal (the type of the question mark) is simplified to `f a ≈ f a`, which is inhabited by `refl` as well. The finished proof is just:

```
cong f refl = refl
```

In a situation where we observe the same function is on the outside on both sides of an equation we are trying to prove, we can use `cong` to make a backwards reasoning step and ‘rip off’ the function from both sides and reduce our problem to proving equality of what is underneath.

Having stated and proved this lemma, we can now prove the right unit law for the  $\text{NMon}$  monoid:  $\{n : \mathbb{N}\} \rightarrow n + \text{zero} \cong n$ . The proof proceeds by induction (induction and recursion are the same in Agda) on the implicit argument  $n$ , which we provide explicitly here, so we can pattern-match on it. In the zero case, it is given by `refl` of type  $\text{zero} \cong \text{zero}$ . In the successor case, the goal computes to  $\text{suc}(n + \text{zero}) \cong \text{suc } n$ . We use `cong` to peel off the function `suc` and then apply our inductive hypothesis `rid+ {n} : n + zero ≈ n`.

```
rid+ : {n : N} → n + zero ≈ n
rid+ {z} = refl
rid+ {s n} = cong suc (rid+ {n})
```

We can prove the associativity condition in a similar way. Here we need only refer to the first implicit argument explicitly:

```
ass+ : {m n o : N} → (m + n) + o ≈ m + (n + o)
ass+ {z} = refl
ass+ {s m} = cong suc (ass+ {m})
```

Having proved these two lemmas, we can finish  $\text{NMon}$ :

```
NMon : Monoid
NMon = record{
  S    = N;
  ε    = zero;
  _·_ = _+_;
  lid  = refl;
  rid  = rid+;
  ass  = ass+}
```

### 3. BASIC CATEGORY THEORY

In this section, we develop some basic category theory that we will make use of later. A category is an algebraic structure like any other. We define it as before: we introduce some data, a set of objects, a set of morphisms between two objects, for any object, an identity morphism and, for any two morphisms between three objects, a composition morphism. Then we give some equations which govern how this structure behaves: identity is left and right unit of composition, and composition is associative. These conditions are often represented pictorially as commuting diagrams. Commuting diagrams are a very nice representation of equations between compositions of maps, where all objects involved are explicitly displayed. In Agda, we just represent the equations directly using propositional equality. Here we typically suppress the implicit object arguments to improve readability.

```
record Cat : Set where
  field Obj : Set
  Hom : Obj → Obj → Set
  iden : ∀{X} → Hom X X
  comp : ∀{X Y Z} → Hom Y Z → Hom X Y → Hom X Z
  idl : ∀{X Y}{f : Hom X Y} → comp iden f ≈ f
  idr : ∀{X Y}{f : Hom X Y} → comp f iden ≈ f
```

$$\text{ass} : \forall\{W X Y Z\}\{f : \text{Hom } Y Z\}\{g : \text{Hom } X Y\}\{h : \text{Hom } W X\} \rightarrow \\ \text{comp } (\text{comp } f g) h \cong \text{comp } f (\text{comp } g h)$$

A simple example of a category is the category of small sets. The objects are sets and the morphisms are simple functions between them. The identity is given by the identity function and the composition is given by function composition. The laws hold definitionally.

```
SetCat : Cat
SetCat = record{
  Obj = Set;
  Hom = λ X Y → X → Y;
  iden = id;
  comp = λ f g → f ∘ g;
  idl = refl;
  idr = refl;
  ass = refl}
```

Given any category, another simple example is to form the opposite category by turning round all the arrows. In Agda, we define this as a postfix operator `_Op`. The category `C Op` has the same objects as `C`. The morphisms from `X` to `Y` in `C Op` are the morphisms from `Y` to `X` in `C`. The identity in `C Op` is given by the identity of `C` and the composition in `C Op` is given by reversing the order of the composition of `C`. The left unit law follows from right unit law of `C`, and the right unit law from the left unit law of `C`. The associativity follows from the associativity of `C` after applying symmetry.

```
_Op : Cat → Cat
C Op = record{
  Obj = Obj C;
  Hom = λ X Y → Hom C Y X;
  iden = iden C;
  comp = λ f g → comp C g f;
  idl = idr C;
  idr = idl C;
  ass = sym (ass C)}
```

For the first time in the definition of `_Op`, we are referring to the fields of one record in the definition of another and how this works warrants further explanation. The type of the `Obj` field is `Set`, so we must give a set on the right of the `=` sign. But `Obj` appears again on the right and this time takes an argument `C`. When we define a record (e.g., `Cat`) Agda defines projection functions with the same names as the field names (e.g., `Cat.Obj`). The projections are functions from the record type to the field type (e.g., `Cat.Obj : Cat → Set`). We can open the name space of the record (e.g., `open Cat`) to bring the projections into scope and avoid having to give the name of the record as part of the projection name. We do this after every record and hence we can refer to the projections directly (e.g., `Obj`). Hence in the line `Obj = Obj C`, the `Obj` on the left is the field name of `C Op` and the `Obj` on the right is the projection function from the record `Cat`. The remainder of the definition proceeds as described above.

Next we define functors. This time the record `Fun` is parameterised by the categories (`C` and `D`) at the domain and codomain of the functor. The record has fields for the *object map* and the *morphism map*. It also has fields for the two functor laws which guarantee that the morphism map does the right thing with the identity and composition morphisms, i.e., that identity in `C` is mapped to identity in `D` and that composition in `C` is mapped to composition in `D`. By including these laws in the definition of a functor, we guarantee that anything that has the right to call itself a functor respects the functor laws.

```
record Fun (C D : Cat) : Set where
  field OMap : Obj C → Obj D
    HMap : ∀{X Y} → Hom C X Y → Hom D (OMap X) (OMap Y)
    fid : ∀{X} → HMap (iden C {X}) ≅ iden D {OMap X}
    fcomp : ∀{X Y Z}{f : Hom C Y Z}{g : Hom C X Y} →
      HMap (comp C f g) ≅ comp D (HMap f) (HMap g)
```

Having defined functors (morphisms between categories), we can define natural transformations (morphisms between functors):

```
record NatT {C D}(F G : Fun C D) : Set where
  field cmp : ∀{X} → Hom D (OMap F X) (OMap G X)
    nat : ∀{X Y}{f : Hom C X Y} →
      comp D (HMap G f) cmp ≅ comp D cmp (HMap F f)
```

The natural transformation is made up of its *components*, given by a function which for any object `X` in `C` (taken implicitly) gives us a morphism from `OMap F X` to `OMap G X`, and a *naturality condition*, which states that, given any morphism `f` in `C`, we can go along the morphism `f` and then the component morphism or we can go along the component morphism first and then the morphism `f`.

Given definitions of categories, functors and natural transformations we might like to define a functor category where the objects are functors and the morphisms are natural transformations. Let us start to realise this:

```
FunctorCat : Cat → Cat → Cat
FunctorCat C D = record{
  Obj = Fun C D;
  Hom = NatT;
  id = ?;
  comp = ?;
  idl = ?;
  idr = ?;
  ass = ?}
```

The morphisms in this category are natural transformations, so we need to define the identity natural transformation and composition of natural transformations. The identity natural transformation is from a functor `F` to itself. The component at `X` in `C` must be a morphism in `D` from `OMap F X` to itself. This is just the identity morphism in `D` on the object `OMap F X`. The naturality condition computes to `comp D (HMap F f) (iden D) ≅ comp D (iden D) (HMap F f)`. which follows from the left and right unit laws (`lid` and `rid`) in `D`. We use Agda's equational

reasoning style (delimited by `proof` and  $\blacksquare$ ) for equational proofs of greater than one step.

```
idNat : ∀{C D}{F : Fun C D} → NatT F F
idNat {C}{D}{F} = record{
  cmp = iden D;
  nat = λ{X}{Y}{f} →
    proof
      comp (HMap F f) iden
      ≈⟨ idr ⟩
      HMap F f
      ≈⟨ sym idl ⟩
      comp iden (HMap F f)
    ▀}
```

Composition proceeds analogously. Just like the components of the identity natural transformation are given by identity in  $D$ , the components of composition are given by composition in  $D$ , specifically, composition of the components of the natural transformation  $\alpha$  and  $\beta$ . We omit the proof term of the naturality condition and leave it as  $?$ . The omitted proof follows from the associativity law for  $D$  and the naturality of  $\alpha$  and  $\beta$ .

```
compNat : ∀{C D}{F G H : Fun C D} →
  NatT G H → NatT F G → NatT F H
compNat {C}{D} α β = record {cmp = comp D (cmp α) (cmp β); nat = ?}
```

To have a category, we must prove the that `idNat` is left and right unit of `compNat` and `compNat` is associative. Let us look at the left unit law first:

```
idlNat : ∀{C D}{F G : Fun C D}{α : NatT F G} → compNat idNat α ≈ α
idlNat = ?
```

To prove `idlNat` we must prove that the natural transformations `compNat idNat α` and  $\alpha$  are (propositionally) equal. Natural transformations are records, and to prove that two records are equal we must prove that their fields are equal. In this case this means we must prove that the components are equal and also the the proofs(!) of naturality are equal. Help is at hand in the form of proof irrelevance:

```
ir : {A A' : Set}{a : A}{a' : A'}{p q : a ≈ a'} → p ≈ q
ir {p = refl}{q = refl} = refl
```

In Agda, all proofs of a particular propositional equation are equal. The proof proceeds from the observation that the only canonical inhabitant of a propositional equations is `refl`. When writing a program or proving a theorem by pattern matching, we need only consider canonical representatives of the arguments, and `refl` equals `refl` by (surprise, surprise) `refl`. So, we can just use proof irrelevance to avoid proving that the naturality proofs are equal right? Well, no. The problem is that the types of the two proofs (the equations of which they are proofs) are different. The naturality condition for `compNat (idNat G) α` is

```
comp D (HMap G f) (comp D (iden D) (cmp α)) ≈
comp D (comp D (iden D) (cmp α)) (HMap F f)
```

and for  $\alpha$  it is

$$\text{comp D} (\text{HMap G} f) (\text{cmp } \alpha) \cong \text{comp D} (\text{cmp } \alpha) (\text{HMap F} f)$$

These equations are different, but their respective left and right hand sides are provably equal. We just need to plug in the proofs that the components are equal in the right place. We define a lemma `fixtypes` to deal with this common situation where we have two equality proofs of different equations where the left and right hand sides of each of the equations are all provable equal.

```
fixtypes : ∀{A A' A'' A''' : Set}
          {a : A}{a' : A'}{a'' : A''}{a''' : A'''}
          {p : a ≈ a'}{q : a'' ≈ a''' } → a ≈ a'' → p ≈ q
fixtypes {p = refl} {q = refl} refl = refl
```

Given this principle, we are now in a position to prove that the naturality conditions are equal, or we would be, were it not for the fact that the naturality conditions are actually functions: they hold for any  $X, Y$  and  $f$ . Here Agda's notion of propositional equality lets us down. We really need extensionality: we would like functions to be equal, if they do the same thing on all possible arguments. We postulate this principle as follows:

```
postulate ext : {A : Set}{B B' : A → Set}
              {f : ∀ a → B a}{g : ∀ a → B'a} →
              (forall a → f a ≈ g a) → f ≈ g
```

For Agda a postulate is a function without definition or lemma without proof. Attempting to evaluate (an application of) a postulate will get stuck.

We could now prove the left identity law above by proving only that the components are equal and dispensing with the naturality conditions, using the facilities we just introduced. However, we can do better than this, we can prove once-and-for-all that two natural transformations are equal, if their components are equal. We can prove that the naturality conditions are always equal, by plugging in the proof that components are equal using extensionality and by invoking proof irrelevance via `fixtypes`. We omit the proof term.

```
NatTEq : {C D : Cat}{F G : Fun C D}{α β : NatT F G} →
          cmp α ≈ cmp β → α ≈ β
NatTEq p = ?
```

This turns out to be a common pattern in our formalisation: whenever we need to prove that two records are equal and the records are made up of some fields giving some data and some laws that govern it, we need only prove equality of the data.

Having defined `NatTEq`, we can use it to reduce the problem of proving the three lemmas to proving that the components are equal.

```
idlNat : ∀{C D}{F G : Fun C D}{α : NatT F G} → compNat idNat α ≈ α
idrNat : ∀{C D}{F G : Fun C D}{α : NatT F G} → compNat α idNat ≈ α
assNat : ∀{C D}{E F G H : Fun C D}
          {α : NatT G H}{β : NatT F G}{η : NatT E F} →
          compNat (compNat α β) η ≈ compNat α (compNat β η)
```

Their components are equal by the left and right identity, and associativity laws of the category  $D$  respectively (and extensionality).

Having proved these three lemmas, we can now complete our definition of a functor category:

```
FunctorCat : Cat → Cat → Cat
FunctorCat C D = record{
  Obj  = Fun C D;
  Hom  = NatT;
  id   = idNat;
  comp = compNat;
  idl  = idlNat;
  idr  = idrNat;
  ass  = assNat}
```

We do not need the full power of functor categories in this paper. The only functor category that arises has a discrete category at its domain. A discrete category is simply a set and hence we use the much more basic structure of a category indexed by a set which we call  $\text{Fam}$ :

```
Fam : Set → Cat
Fam I = record {
  Obj  = I → Set;
  Hom  = λ A B → ∀ {i} → A i → B i;
  iden = id;
  comp = λ f g → f ∘ g;
  idl  = refl;
  idr  = refl;
  ass  = refl}
```

#### 4. MONADS AND RELATIVE MONADS

Relative monads are a generalisation of monads from endofunctors on one category to functors that may go between two different categories. We define ordinary monads first before introducing relative monads. In Manes' style, a monad on a category  $C$  consists of three pieces of data: a map  $T$  from objects of  $C$  to objects of  $C$ ; an operation  $\eta$  that for any object  $X$  of  $C$  gives a morphism in  $C$  from  $X$  to  $T X$ ; and an operation on morphisms of  $C$  called  $\text{bind}$  that (for any objects  $X$  and  $Y$ ) lifts morphisms from  $X$  to  $T Y$  to a morphism from  $T X$  to  $T Y$ .

```
record Monad (C : Cat) : Set where
  field T      : Obj C → Obj C
  η       : ∀ {X} → Hom C X (T X)
  bind   : ∀{X Y} → Hom C X (T Y) → Hom C (T X) (T Y)
  law1  : ∀{X} → bind (η {X}) ≅ iden C {T X}
  law2  : ∀{X Y}{f : Hom C X (T Y)} → comp C (bind f) η ≅ f
  law3  : ∀{X Y Z}{f : Hom C X (T Y)}{g : Hom C Y (T Z)} →
          bind (comp C (bind g) f) ≅ comp C (bind g) (bind f)
```

A simple example of a monad is the so-called maybe monad:

```
data Maybe (A : Set) : Set where
  Just    : A → Maybe A
  Nothing : Maybe A
```

Note first that this is not yet a monad; it is just a datatype. `Maybe` gives a canonical way to add a distinguished element to a set `A`. This extra element is often used to denote the failed result of an unreliable function that should really return an element of `A`. We define a function `mbind` which lifts an unreliable function on reliable input to an unreliable function on unreliable input:

```
mbind : {X Y : Set} → (X → Maybe Y) → Maybe X → Maybe Y
mbind f (Just x) = f x
mbind f Nothing = Nothing
```

Next we prove two properties about `mbind` (corresponding to the first and third monad laws): that giving it `Just` as an argument (quite a reliable unreliable function) is the same as the identity function;

```
mlaw1 : ∀{A}(a : Maybe A) → mbind Just a ≈ id a
mlaw1 (Just a) = refl
mlaw1 Nothing = refl
```

and that, given two appropriate functions, composing their lifted versions, or lifting one, composing, and then lifting the result gives the same outcome:

```
mlaw3 : ∀{A B C}{f : A → Maybe B}{g : B → Maybe C}(a : Maybe A) →
        mbind (mbind g ∘ f) a ≈ (mbind g ∘ mbind f) a
mlaw3 (Just a) = refl
mlaw3 Nothing = refl
```

Having defined the `Maybe` type, `mbind`, and proved the two properties, we have all we need to define the `Maybe` monad on the category `SetCat`. We use extensionality and `mlaw1` and `mlaw3` to prove the first and third monad laws, the second one holds definitionally.

```
MaybeMonad : Monad SetCat
MaybeMonad = record{
  T      = Maybe;
  η     = Just;
  bind = mbind;
  law1 = ext mlaw1;
  law2 = refl;
  law3 = ext mlaw3}
```

The definition of relative monads is quite similar to that of ordinary monads:

```
record RMonad {C D : Cat}(J : Fun C D) : Set where
  field T      : Obj C → Obj D
  η      : ∀{X} → Hom D (OMap J X) (T X)
  bind : ∀{X Y} → Hom D (OMap J X) (T Y) → Hom D (T X) (T Y)
  law1 : ∀{X} → bind (η {X}) ≈ iden D {T X}
  law2 : ∀{X Y}{f : Hom D (OMap J X) (T Y)} →
```

```

comp D (bind f) η ≅ f
law3 : ∀{X Y Z}
  {f : Hom D (OMap J X) (T Y)}
  {g : Hom D (OMap J Y) (T Z)} →
    bind (comp D (bind g) f) ≅ comp D (bind g) (bind f)

```

The record `RMonad` takes the source and target categories `C` and `D` as implicit arguments and a functor `J` between them as an explicit argument. The idea is that functor `J` is some kind of embedding-like thing which *repairs* the mismatch in the categories in the remainder of the definition. `T` is a mapping from objects of `C` to objects of `D`, so  $\eta$ 's type must be adjusted from the previous definition: for any object `X` in `C`,  $\eta$  gives a morphism in `D` from `OMap J X` to `T X`. `bind` must also be adjusted: this time, it takes as input maps in `D` from `OMap J X` to `T X`. The three laws remain the same, but their types are adjusted by replacing `C` with `D` and inserting `OMap J` where necessary.

An ordinary monad can be seen as a special case of a relative monad where the functor `J` is just the identity functor:

```

IdF : ∀ C → Fun C C
IdF C = record{OMap = id; HMap = id; fid = refl; fcomp = refl}

```

To define the special case there is nothing to prove we just plug in the contents of the fields of the monad into the fields of the relative monad:

```

specialM : {C : Cat} → Monad C → RMonad (IdF C)
specialM M = record {
  T      = T;
  η      = η;
  bind   = bind;
  law1   = law1;
  law2   = law2;
  law3   = law3}
  where open Monad M

```

There is another way to get a relative monad from an ordinary one. Given a monad on some category `D`, we can restrict it to a relative monad by post-composing it with any functor `J` into `D`.

```

restrictM : {C D : Cat}(J : Fun C D) → Monad D → RMonad J
restrictM J M = record {
  T      = T ∘ OMap J;
  η      = η;
  bind   = bind;
  law1   = law1;
  law2   = law2;
  law3   = law3}
  where open Monad M

```

Under favourable conditions, restriction is the right adjoint of an interesting adjunction. Its left adjoint is investigated in Section 4 of [ACU10].

#### 4.1 Morphisms

A morphism between monads  $M$  and  $M'$  on a category  $C$  is given a family of morphisms such that for any object  $X : \text{Obj } C$  the morphism  $\text{morph } \{X\}$  has type  $\text{Hom } C (T M X) (T M' X)$ . It is subject to two laws governing its interaction with  $\eta$  and  $\text{bind}$ .

```
record MonadMorph {C : Cat}(M M' : Monad C) : Set where
  open Cat C
  field morph    : ∀ {X} → Hom (T M X) (T M' X)
  lawη      : ∀ {X} → comp morph (η M {X}) ≈ η M' {X}
  lawbind   : ∀ {X Y}{k : Hom X (T M Y)} →
    comp (morph {Y}) (bind M k)
    ≈
    comp (bind M' (comp (morph {Y}) k)) (morph {X})
```

A morphism between relative monads is almost identical except for the  $\text{morph } \{X\}$  is a morphism in  $D$  but  $X$  is an object in  $C$ :

```
record RMonadMorph {C D : Cat}{J : Fun C D}(M M' : RMonad J) : Set
  where
  open Cat D
  field morph    : ∀ {X} → Hom (T M X) (T M' X)
  lawη      : ∀ {X} → comp morph (η M {X}) ≈ η M' {X}
  lawbind   : ∀ {X Y}{k : Hom (OMap J X) (T M Y)} →
    comp (morph {Y}) (bind M k)
    ≈
    comp (bind M' (comp (morph {Y}) k)) (morph {X})
```

An ordinary monad morphism can be seen as a special case of a relative monad morphism:

```
specialMM : ∀{C : Cat}{M M' : Monad C} → MonadMorph M M' →
  RMonadMorph (specialM M) (specialM M')
specialMM MM = record {
  morph    = morph;
  lawη    = lawη;
  lawbind = lawbind}
  where open MonadMorph MM
```

Also, we can restrict a monad morphism to a relative monad morphism:

```
restrictMM : {C D : Cat}{M M' : Monad D}(J : Fun C D) →
  MonadMorph M M' →
  RMonadMorph (restrictM J M) (restrictM J M')
restrictMM J MM = record {
  morph    = λ{X} → morph {OMap J X};
  lawη    = lawη;
  lawbind = lawbind}
  where open MonadMorph MM
```

#### 4.2 Well-scoped $\lambda$ -terms

Now we will look at two examples of relative monads, well-scoped (but untyped) and well-typed  $\lambda$ -terms.

Well-scoped  $\lambda$ -terms over a (potentially infinite) set of variables are standard example of monads. The restriction to finite sets of variables is not. We will show that this restriction naturally leads to a relative monad in both cases.

The well-scoped  $\lambda$ -terms are well-scoped because their type  $Tm$  is indexed by the number of variables in scope (the length of the context) and ensures that they cannot refer to any others. We will show that  $Tm$  is the object map  $T$  of a relative monad on where  $J$  is functor whose object map is given by  $Fin$ :

```
data Fin : N → Set where
  zero : ∀{n} → Fin (suc n)
  suc : ∀{n} → Fin n → Fin (suc n)
```

Variables are de Bruijn indices, represented as elements of finite sets. The finite set  $Fin 0$  is empty, the finite set  $Fin 1$  contains one element `zero`, the finite set  $Fin 2$  contains two elements `zero` and `suc zero`, etc.

```
Con = N
Var = Fin
```

```
data Tm : Con → Set where
  var : ∀{n} → Var n → Tm n
  lam : ∀{n} → Tm (suc n) → Tm n
  app : ∀{n} → Tm n → Tm n → Tm n
```

Looking at the definition of the type  $Tm$ , we see that the `var` constructor embeds elements of  $Var n$  (variables from a  $n$ -element scope) into the set  $Tm n$  (terms over this scope). The `lam` constructor is a scope-safe  $\lambda$ -abstraction. It takes a body over `suc n` variables and gives back a term over  $n$  variables (the bound variable has been abstracted by the  $\lambda$ ). The `app` constructor is for scope-safe application of a function over  $n$  variables to an argument over  $n$  variables. If the function and argument are over different numbers of variables we cannot even form the term corresponding to their application.

To show that the well-scoped terms form a relative monad, we must first fix  $J$  and the categories between which it operates.

The source category is the category of contexts  $ConCat$  whose objects numbers, to be understood as possible context sizes. The morphisms are functions from  $Var m \rightarrow Var n$ . These morphisms can be thought of as renamings from  $m$  variables to  $n$  variables. Identity and composition are given by the identity function and composition of functions respectively. As in the category of sets (where the morphisms are also functions), the laws hold definitionally. First, we define some type synonyms for renamings, the identity renaming, and composition of renaming. This makes the types that follow easier to read.

```
Ren : Con → Con → Set
Ren m n = Var m → Var n
```

```

renId : ∀{n} → Ren n n
renId = id

renComp : ∀{m n o} → Ren n o → Ren m n → Ren m o
renComp f g = f ∘ g

```

The category **ConCat** is defined as follows:

```

ConCat : Cat
ConCat = record{
  Obj  = Con;
  Hom  = Ren;
  iden = renId;
  comp = renComp;
  idl  = refl;
  idr  = refl;
  ass  = refl}

```

The target of the functor **J** is the category of sets **SetCat** defined earlier. We now give the definition for the functor **J**. On objects, it is **Var** and, on maps, it is the identity function. The laws hold definitionally due to the trivial operation on maps:

```

VarFun : Fun ConCat SetCat
VarFun = record{
  OMap = Var;
  HMap = id;
  fid  = refl;
  fcomp = refl}

```

We can now begin to show that we have a relative monad on **VarFun**:

```

TmRMonad : RMonad VarFun
TmRMonad = record{
  T    = Tm;
  η    = var;
  bind = ?;
  law1 = ?;
  law2 = ?;
  law3 = ?}

```

We fix the object map **T** to be **Tm** which gives  $\eta$  the type  $\{n : \text{Con}\} \rightarrow \text{Var } n \rightarrow \text{Tm } n$ . It is just the constructor **var**. The type of **bind** is more interesting:  $\{m n : \text{Con}\} \rightarrow (\text{Var } m \rightarrow \text{Tm } n) \rightarrow \text{Tm } m \rightarrow \text{Tm } n$ . A function from **Var m** to **Tm n** is a substitution; for every variable in **Var m** it gives a term over **n** variables. **var** is the identity substitution: it replaces a variable with itself (seen as term). **bind** performs a substitution; it applies a substitution from **m** variables to terms over **n** variables to a term over **m** variables to give a term over **n** variables. Put another way it lifts a substitution, which is an operation on variables, to an operation on terms. There are several ways to proceed from here to define substitution. We chose to first define renaming (we already have a category of contexts) and use it to define substitution. This approach has a clear mathematically structure, a simple

termination argument (all our definitions are structurally recursive), and makes the proofs of the monad laws relatively straightforward.

Next, we define the action of renaming `ren` which applies a renaming to a term, or, put another way, takes a renaming from  $m$  to  $n$  and lifts it to a function from terms over  $m$  variables to terms over  $n$  variables. We define it by recursion on the term. In the variable case, we peel off the `var` constructor, apply the renaming, and replace the `var`. In the application case, we can just push the renaming down to the subterms. In the case of  $\lambda$ -abstraction, we weaken the renaming using `wk` (defined below) and then apply it to the body.

```
ren : ∀{m n} → Ren m n → Tm m → Tm n
ren f (var i) = var (f i)
ren f (app t u) = app (ren f t) (ren f u)
ren f (lam t) = lam (ren (wk f) t)
```

To push renaming under a binder, we need a helper function `wk` which weakens a renaming: the variable `zero` is passed straight through and the others are mapped to the successor (the weakening of variables) of their original values:

```
wk : ∀{m n} → Ren m n → Ren (suc m) (suc n)
wk f zero = zero
wk f (suc i) = suc (f i)
```

Next, we prove that `wk` maps the identity renaming to itself and `ren` maps the identity renaming to the identity function:

```
wkid : ∀{n}(i : Var (suc n)) → wk renId i ≈ renId i
wkid zero = refl
wkid (suc i) = refl

renid : ∀{n}(t : Tm n) → ren renId t ≈ id t
renid (var i) = refl
renid (app t u) = cong2 app (renid t) (renid u)
renid (lam t) =
  proof
    lam (ren (wk renId) t)
    ≈⟨ cong (λ f → lam (ren f t)) (ext wkid) ⟩
    lam (ren renId t)
    ≈⟨ cong lam (renid t) ⟩
    lam t
  ■
```

Notice that, in the proof `renid`, we need the proof `wkid`, as, in the program `ren`, we needed the program `wk`.

Next, we prove the `wk` takes composition of renamings to composition of renamings and `ren` takes composition of renamings to composition of functions. Notice again that the `lam` cases require the corresponding properties for `wk`.

```
wkcomp : ∀{m n o}(f : Ren n o)(g : Ren m n)(i : Var (suc m)) →
  wk (renComp f g) i ≈ renComp (wk f) (wk g) i
```

```

wkcomp f g zero    = refl
wkcomp f g (suc i) = refl

rencomp : ∀{m n o}(f : Ren n o)(g : Ren m n)(t : Tm m) →
           ren (renComp f g) t ≈ (ren f ∘ ren g) t
rencomp f g (var i) = refl
rencomp f g (app t u) = cong2 app (rencomp f g t) (rencomp f g u)
rencomp f g (lam t) =
  proof
    lam (ren (wk (renComp f g)) t)
    ≈⟨ cong (λ f → lam (ren f t)) (ext (wkcomp f g)) ⟩
    lam (ren (renComp (wk f) (wk g)) t)
    ≈⟨ cong lam (rencomp (wk f) (wk g) t) ⟩
    lam (ren (wk f) (ren (wk g) t))
  ■

```

These properties indicate that `wk` and `ren` are morphism maps of two functors. `wk` is a morphism map for the object endomap `suc` on the category of contexts and `ren` the morphism map for the object map `Tm` from the category of contexts to the category of sets. We stop short of defining these functors explicitly; we define only what we will need later.

Having dealt with renaming, we can now move on to substitution. We define a type synonym for substitution, as we did for renaming, but defer the definition of identity and composition until later:

```

Sub : Con → Con → Set
Sub m n = Var m → Tm n

```

The first operation we define is analogous to `wk`; we must be able to weaken a substitution to push it under a  $\lambda$ -abstraction. As before, the variable `zero` is passed straight through. In the other case we apply the substitution and weaken the resultant term. Notice that `suc` weakens a variable and `ren fs` weakens a term.

```

lift : ∀{m n} → Sub m n → Sub (suc m) (suc n)
lift f zero    = var zero
lift f (suc i) = ren suc (f i)

```

Having defined `lift`, we can define the action of substitutions on terms. In the variable case, we apply the substitution; in the application case, we pass it to the subterms; in the  $\lambda$  case we weaken it and pass it to the body.

```

sub : ∀{m n} → Sub m n → Tm m → Tm n
sub f (var i)    = f i
sub f (app t u) = app (sub f t) (sub f u)
sub f (lam t)   = lam (sub (lift f) t)

```

The identity substitution is just `var`. When applied, it removes the `var` constructor and then reapplies it again:

```

subId : ∀{n} → Sub n n
subId = var

```

To compose substitutions, we must lift the first one  $f$  to a function from terms to terms  $\text{sub } f$ . Then we can compose:

```
subComp : ∀{m n o} → Sub n o → Sub m n → Sub m o
subComp f g = sub f ∘ g
```

As we did for renamings we prove that  $\text{lift}$  takes the identity substitution to itself and that  $\text{sub}$  take the identity substitution to the identity function on terms:

```
liftid : ∀{n}(i : Var (suc n)) → lift subId i ≈ subId i
liftid zero    = refl
liftid (suc i) = refl
```

```
subid : ∀{n}(t : Tm n) → sub subId t ≈ id t
subid (var i)    = refl
subid (app t u) = cong2 app (subid t) (subid u)
subid (lam t)   =
  proof
    lam (sub (lift subId) t)
    ≈⟨ cong lam (cong (λ f → sub f t) (ext liftid)) ⟩
    lam (sub subId t)
    ≈⟨ cong lam (subid t) ⟩
    lam t
  ■
```

To prove the required properties of  $\text{lift}$  and  $\text{sub}$  for composition, we need some extra lemmas. We have defined  $\text{ren}$  using  $\text{wk}$ ,  $\text{lift}$  using  $\text{ren}$  and  $\text{sub}$  using  $\text{lift}$ . Hence, we need some lemmas regarding how they interact:

```
liftwk : ∀{m n o}(f : Sub n o)(g : Ren m n)(i : Var (s m)) →
          (lift f ∘ wk g) i ≈ lift (f ∘ g) i
liftwk f g zero    = refl
liftwk f g (suc i) = refl
```

```
subren : ∀{m n o}(f : Sub n o)(g : Ren m n)(t : Tm m) →
          (sub f ∘ ren g) t ≈ sub (f ∘ g) t
subren f g (var i)    = refl
subren f g (app t u) = cong2 app (subren f g t) (subren f g u)
subren f g (lam t)   =
  proof
    lam (sub (lift f) (ren (wk g) t))
    ≈⟨ cong lam (subren (lift f) (wk g) t) ⟩
    lam (sub (lift f ∘ wk g) t)
    ≈⟨ cong lam (cong (λ f1 → sub f1 t) (ext (liftwk f g))) ⟩
    lam (sub (lift (f ∘ g)) t)
  ■
```

```
renwklift : ∀{m n o}(f : Ren n o)(g : Sub m n)(i : Var (s m)) →
            (ren (wk f) ∘ lift g) i ≈ lift (ren f ∘ g) i
renwklift f g zero    = refl
```

```

renwklift f g (suc i) =
  proof
    ren (wk f) (ren suc (g i))
     $\cong$ ( sym (rencomp (wk f) suc (g i)) )
    ren (wk f  $\circ$  suc) (g i)
     $\equiv$  $\langle$ 
    ren (suc  $\circ$  f) (g i)
     $\cong$ ( rencomp suc f (g i) )
    ren suc (ren f (g i))
  ■

```

```

rens sub :  $\forall\{m n o\}(f : \text{Ren } n o)(g : \text{Sub } m n)(t : \text{Tm } m) \rightarrow$ 
         (ren f  $\circ$  sub g) t  $\cong$  sub (ren f  $\circ$  g) t
rens sub f g (var i) = refl
rens sub f g (app t u) = cong2 app (rens sub f g t) (rens sub f g u)
rens sub f g (lam t) =
  proof
    lam (ren (wk f) (sub (lift g) t))
     $\cong$ ( cong lam (rens sub (wk f) (lift g) t) )
    lam (sub (ren (wk f)  $\circ$  (lift g)) t)
     $\cong$ ( cong ( $\lambda f \rightarrow$  lam (sub f t)) (ext (renwklift f g)) )
    lam (sub (lift (ren f  $\circ$  g)) t)
  ■

```

Having proved these lemmas relating `wk`, `ren`, `lift` and `sub`, we can now prove the properties of composition we need. `lift` takes composition of substitutions to composition of substitutions and `sub` takes composition of substitutions to composition of functions:

```

liftcomp :  $\forall\{m n o\}(f : \text{Sub } n o)(g : \text{Sub } m n)(i : \text{Var } (s m)) \rightarrow$ 
          lift (subComp f g) i  $\cong$  subComp (lift f) (lift g) i
liftcomp f g zero = refl
liftcomp f g (suc i) =
  proof
    ren suc (sub f (g i))
     $\cong$ ( rensub suc f (g i) )
    sub (ren suc  $\circ$  f) (g i)
     $\cong$ ( sym (subren (lift f) suc (g i)) )
    sub (lift f) (ren suc (g i))
  ■

```

```

subcomp :  $\forall\{m n o\}(f : \text{Sub } n o)(g : \text{Sub } m n)(t : \text{Tm } m) \rightarrow$ 
          sub (subComp f g) t  $\cong$  (sub f  $\circ$  sub g) t
subcomp f g (var i) = refl
subcomp f g (app t u) = cong2 app (subcomp f g t) (subcomp f g u)
subcomp f g (lam t) =
  proof
    lam (sub (lift (subComp f g)) t)

```

```

 $\cong(\text{cong } (\lambda f \rightarrow \text{lam } (\text{sub } f t)) (\text{ext } (\text{liftcomp } f g)) )$ 
 $\text{lam } (\text{sub } (\text{subComp } (\text{lift } f)(\text{lift } g)) t)$ 
 $\cong(\text{cong lam } (\text{subcomp } (\text{lift } f) (\text{lift } g) t) )$ 
 $\text{lam } (\text{sub } (\text{lift } f) (\text{sub } (\text{lift } g) t))$ 
■

```

Similarly to renaming, there are two functors lurking here. `lift` is the morphism map of an endofunctor on the category of substitutions and `sub` is the morphism map of a functor from the category of substitutions to the category of sets.

Having defined `sub` and proved `subid` and `subcomp`, we can fill in the rest of the definition of the relative monad. `bind` is `sub`, the first law follows from `subid`, the second law holds definitionally and the third law follows from `subcomp`.

```

TmRMonad : RMonad VarFun
TmRMonad = record{
  T      = Tm;
  η      = var;
  bind   = sub;
  law1   = ext subid;
  law2   = refl;
  law3   = ext (subcomp _ _)}

```

We would also get a relative monad if we quotiented each set `Tm n` by the  $\beta\eta$ -equality. Crucially `bind` can be given the correct type as substitution respects  $\beta\eta$ -equality. We refrain from pursuing this here.

#### 4.3 Well-typed $\lambda$ -terms

The well-typed  $\lambda$ -terms also form a relative monad. First we define some types: an inert base type; and a simple function space.

```

data Ty : Set where
  ⊥    : Ty
  _⇒_ : Ty → Ty → Ty

```

Contexts are just sequences of types. They will play the role that natural numbers played in the well-scoped terms: indicating how many variables are in scope, but also what their types are. In this sense, they can be thought of as like natural numbers where the successor is labelled with a type.

```

data Con : Set where
  ε    : Con
  _<_ : Con → Ty → Con

```

Variables are de Bruijn indices as before. The type of variables is very much like before, but contexts are typed and the variable's type is given as an extra type index. For the zeroth variable `zero`, we can see that its type is guaranteed to be the same as the type at the end of the context. The successor `suc` is essentially weakening restricted to variables, it introduces a new variable at the end of the context and preserves the type.

```
data Var : Con → Ty → Set where
```

```

zero : ∀{Γ σ} → Var (Γ < σ) σ
suc : ∀{Γ σ τ} → Var Γ σ → Var (Γ < τ) σ

```

The type  $\text{Tm}$  receives the same treatment. It guarantees the that terms are well-scoped as before, but now they are also well-typed. An ill-typed term is not a term at all.

```

data Tm : Con → Ty → Set where
  var : ∀{Γ σ} → Var Γ σ → Tm Γ σ
  app : ∀{Γ σ τ} → Tm Γ (σ ⇒ τ) → Tm Γ σ → Tm Γ τ
  lam : ∀{Γ σ τ} → Tm (Γ < σ) τ → Tm Γ (σ ⇒ τ)

```

To show that this datatype gives a relative monad, we must define substitution and prove the same properties of it as before (that it respects identity and composition). The programs we must write are very similar and so are the proofs. We give the programs in full, but omit the proofs of the substitution properties. Having proved these properties, we must also fix some categorical structures (What are the categories? What is  $J$ ) to complete the relative monad definition. We will describe these in full.

Given two contexts, renaming is defined to be a type of functions which takes a type as an implicit argument and returns a function from variables over one context to variables over the other. Notice that the types of the variables are preserved. Identity and composition are given by identity and composition of functions.

```

Ren : Con → Con → Set
Ren Γ Δ = ∀ {σ} → Var Γ σ → Var Δ σ

renId : ∀{Γ} → Ren Γ Γ
renId = id

renComp : ∀{B Γ Δ} → Ren Γ Δ → Ren B Γ → Ren B Δ
renComp f g = f ∘ g

```

Before defining the action of a renaming on a term, we explain how to weaken a renaming (to push it under a  $\lambda$ -abstraction) by introducing a new type (for the bound variable) at the end of the context. The type is taken implicitly. The action  $\text{ren}$  is defined by recursion on the term. In the variable case, the renaming is applied, in the application case, it is passed to the subterms and, in the  $\lambda$ -abstraction case, it is weakened before being passed to the body.

```

wk : ∀{Γ Δ σ} → Ren Γ Δ → Ren (Γ < σ) (Δ < σ)
wk f zero      = zero
wk f (suc i)   = suc (f i)

ren : ∀{Γ Δ} → Ren Γ Δ → ∀ {σ} → Tm Γ σ → Tm Δ σ
ren f (var x)  = var (f x)
ren f (app t u) = app (ren f t) (ren f u)
ren f (lam t)   = lam (ren (wk f) t)

```

We require the following properties of  $\text{wk}$  and  $\text{ren}$ :

```

wkid   : ∀{Γ σ τ}(x : Var (Γ < τ) σ) → wk renId x ≈ renId x
renid   : ∀{Γ σ}(t : Tm Γ σ) → ren renId t ≈ id t
wkcomp  : ∀ {B Γ Δ}(f : Ren Γ Δ)(g : Ren B Γ)
          {σ τ}(x : Var (B < σ) τ) →
          wk (renComp f g) x ≈ renComp (wk f) (wk g) x
rencomp : ∀ {B Γ Δ}(f : Ren Γ Δ)(g : Ren B Γ){σ}(t : Tm B σ) →
          ren (renComp f g) t ≈ (ren f ∘ ren g) t

```

We omit the proofs, as they have exactly the same structure as their counterparts for the well-scoped terms.

Given two contexts, substitution is defined to be a type of functions which takes a type as an implicit argument and returns a type-preserving function from variables over one context to terms over the other.

```

Sub : Con → Con → Set
Sub Γ Δ = ∀{σ} → Var Γ σ → Tm Δ σ

```

Before defining the action of a substitution on a term, we explain how to weaken a substitution. The zeroth variable is passed straight through, for other variables, we apply the substitution and weaken the result (`ren suc` weakens a term).

```

lift : ∀{Γ Δ σ} → Sub Γ Δ → Sub (Γ < σ) (Δ < σ)
lift f zero    = var zero
lift f (suc x) = ren suc (f x)

```

The action of substitution on a term is defined by recursion on the term. In the variable case, the substitution is applied, in the application case, it is passed to the subterms, in the  $\lambda$ -abstraction case, it is weakened and then passed to the body.

```

sub : ∀{Γ Δ} → Sub Γ Δ → ∀{σ} → Tm Γ σ → Tm Δ σ
sub f (var x)    = f x
sub f (app t u) = app (sub f t) (sub f u)
sub f (lam t)   = lam (sub (lift f) t)

```

The identity substitution is given by the `var` constructor. Composition of substitutions is given by lifting the first substitution to an operation on terms by applying `sub` and then using function composition.

```

subId : ∀{Γ} → Sub Γ Γ
subId = var

subComp : ∀{B Γ Δ} → Sub Γ Δ → Sub B Γ → Sub B Δ
subComp f g = sub f ∘ g

```

We require the following properties of substitution:

```

liftid   : ∀{Γ σ τ}(x : Var (Γ < σ) τ) → lift subId x ≈ subId x
subid   : ∀{Γ σ}(t : Tm Γ σ) → sub subId t ≈ id t
liftwk  : ∀{B Γ Δ}(f : Sub Γ Δ)(g : Ren B Γ)
          {σ τ}(x : Var (B < σ) τ) →
          (lift f ∘ wk g) x ≈ lift (f ∘ g) x
subren  : ∀{B Γ Δ}(f : Sub Γ Δ)(g : Ren B Γ){σ}(t : Tm B σ) →
          sub (sub f ∘ ren g) t ≈ (sub f ∘ ren g) t

```

```

 $(\text{sub } f \circ \text{ren } g) \ t \cong \text{sub } (f \circ g) \ t$ 
renwklift :  $\forall \{B \ \Gamma \ \Delta\} (f : \text{Ren } \Gamma \ \Delta) (g : \text{Sub } B \ \Gamma)$ 
 $\{\sigma \ \tau\} (x : \text{Var } (B < \sigma) \ \tau) \rightarrow$ 
 $(\text{ren } (\text{wk } f) \circ \text{lift } g) \ x \cong \text{lift } (\text{ren } f \circ g) \ x$ 
rensub :  $\forall \{B \ \Gamma \ \Delta\} (f : \text{Ren } \Gamma \ \Delta) (g : \text{Sub } B \ \Gamma) \{\sigma\} (t : \text{Tm } B \ \sigma) \rightarrow$ 
 $(\text{ren } f \circ \text{sub } g) \ t \cong \text{sub } (\text{ren } f \circ g) \ t$ 
liftcomp :  $\forall \{B \ \Gamma \ \Delta\} (f : \text{Sub } \Gamma \ \Delta) (g : \text{Sub } B \ \Gamma)$ 
 $\{\sigma \ \tau\} (x : \text{Var } (B < \sigma) \ \tau) \rightarrow$ 
 $\text{lift } (\text{subComp } f \ g) \ x \cong \text{subComp } (\text{lift } f) (\text{lift } g) \ x$ 
subcomp :  $\forall \{B \ \Gamma \ \Delta\} (f : \text{Sub } \Gamma \ \Delta) (g : \text{Sub } B \ \Gamma) \{\sigma\} (t : \text{Tm } B \ \sigma) \rightarrow$ 
 $\text{sub } (\text{subComp } f \ g) \ t \cong (\text{sub } f \circ \text{sub } g) \ t$ 

```

The proofs are omitted.

We now consider the categorical structure. We start with a category of contexts as before. This time, the renamings are typed and the objects of the category are lists of types instead of natural numbers, the morphisms are renamings as before. Identity and composition morphisms are given by identity and composition of renamings, these are in turn given by the identity function and composition of functions, hence the categorical laws hold definitionally (after applying extensionality for functions with implicit arguments `iext`).

```

ConCat : Cat
ConCat = record{
  Obj = Con;
  Hom = Ren;
  iden = renId;
  comp = renComp;
  idl = iext  $\lambda \_ \rightarrow \text{refl}$ ;
  idr = iext  $\lambda \_ \rightarrow \text{refl}$ ;
  ass = iext  $\lambda \_ \rightarrow \text{refl}$ }

```

Instead of just having a `J` be a functor from `ConCat` to `SetCat` this time it is a functor from `ConCat` to a `Fam Ty` the category of `Ty`-indexed sets.

Next we define the functor `VarFun` that plays the role of `J`. It is defined analogously to the functor `VarFun` from the previous section. On objects it is `Var` and on morphisms it is identity. The laws hold definitionally due to the operations on morphisms being the identity (in `SetCat`).

```

VarFun : Fun ConCat (Fam Ty)
VarFun = record {
  OMap = Var;
  HMap = id;
  fid = refl;
  fcomp = refl}

```

Lastly, we can fill in the proof that `Tm` forms a relative monad over the functor `VarFun`. `T` is the `Tm` type constructor,  $\eta$  is the `var` constructor, `bind` is substitution `sub`, the first law follows from `subid`, the second law holds definitionally and the third law follows from `subcomp`.

```

TmRMonad : RMonad VarFun
TmRMonad = record {
  T     = Tm;
  η     = var;
  bind = sub;
  law1 = iext λ _ → ext subid ;
  law2 = refl;
  law3 = λ{_ _ _ f g} → iext λ σ → ext (subcomp g f)}

```

Similarly to the well-scoped case terms could be quotiented by  $\beta\eta$ -equality and would still yield relative monad.

## 5. ADJUNCTIONS AND RELATIVE ADJUNCTIONS

An adjunction is a structure between two categories  $C$  and  $D$ . It is carried by two functors  $L$  and  $R$ . There are many options regarding how to present further data and laws. We choose to accompany the two functors by a natural bijection between  $\text{Hom } D (\text{OMap } L X) Y$  and  $\text{Hom } C X (\text{OMap } R Y)$  natural in  $X$  and  $Y$ . The fields `rightt` and `leftt` give the functions in the two directions, `lawa` and `lawb` assert they are mutually inverse, and `natrightt` and `natleftt` assert the naturality conditions. We could excise the definition of natural isomorphism, but as we only use it here, we stick with this flat definition to avoid unnecessary packing and unpacking.

```

record Adj (C D : Cat) : Set where
  field L : Fun C D
  R : Fun D C
  rightt : {X : Obj C}{Y : Obj D} →
            Hom D (OMap L X) Y → Hom C X (OMap R Y)
  leftt : {X : Obj C}{Y : Obj D} →
            Hom C X (OMap R Y) → Hom D (OMap L X) Y
  lawa : {X : Obj C}{Y : Obj D}(f : Hom D (OMap L X) Y) →
         leftt (rightt f) ≅ f
  lawb : {X : Obj C}{Y : Obj D}(f : Hom C X (OMap R Y)) →
         rightt (leftt f) ≅ f
  natrightt : {X X' : Obj C}{Y Y' : Obj D}
             (f : Hom C X' X)(g : Hom D Y Y')
             (h : Hom D (OMap L X) Y) →
             comp C (HMap R g) (comp C (rightt h) f)
             ≅
             rightt (comp D g (comp D h (HMap L f)))
  natleftt : {X X' : Obj C}{Y Y' : Obj D}
             (f : Hom C X' X)(g : Hom D Y Y')
             (h : Hom C X (OMap R Y)) →
             leftt (comp C (HMap R g) (comp C h f))
             ≅
             comp D g (comp D (leftt h) (HMap L f))

```

Relative adjunctions are defined analogously. A relative adjunction goes between a functor  $J : \text{Fun } C D$  and a category  $E$ . It is given by two functors  $L : \text{Fun } C E$

and  $R : \text{Fun } E D$  and further data. The bijection is between  $\text{Hom } E (\text{OMap } L X) Y$  and  $\text{Hom } D (\text{OMap } J X) (\text{OMap } R Y)$ . As  $X$  is taken from  $C$  not  $D$ , we must apply  $\text{OMap } J$  to rectify this mismatch in the type of the bijection. The isomorphism and naturality conditions are adjusted accordingly.

```
record RAdj {C D : Cat}(J : Fun C D)(E : Cat) : Set where
  field L : Fun C E
  R : Fun E D
  rightt : {X : Obj C}{Y : Obj E} →
    Hom E (OMap L X) Y → Hom D (OMap J X) (OMap R Y)
  leftt : {X : Obj C}{Y : Obj E} →
    Hom D (OMap J X) (OMap R Y) → Hom E (OMap L X) Y
  lawa : {X : Obj C}{Y : Obj E}(f : Hom E (OMap L X) Y) →
    leftt (rightt f) ≈ f
  lawb : {X : Obj C}{Y : Obj E}
    (f : Hom D (OMap J X) (OMap R Y)) →
    rightt (leftt f) ≈ f
  natrightt : {X X' : Obj C}{Y Y' : Obj E}
    (f : Hom C X' X)(g : Hom E Y Y')
    (h : Hom E (OMap L X) Y) →
    comp D (HMap R g) (comp D (rightt h) (HMap J f))
    ≈
    rightt (comp E g (comp E h (HMap L f)))
  natleftt : {X X' : Obj C}{Y Y' : Obj E}
    (f : Hom C X' X)(g : Hom E Y Y')
    (h : Hom D (OMap J X) (OMap R Y)) →
    leftt (comp D (HMap R g) (comp D h (HMap J f)))
    ≈
    comp E g (comp E (leftt h) (HMap L f))
```

An ordinary adjunction can be seen as a special case of a relative adjunctions where the functor  $J$  is the identity functor  $\text{Id}_F$ .

Also, given an ordinary adjunction between two categories  $D$  and  $E$ , we can restrict it to a relative adjunction between a functor  $J : \text{Fun } C D$  and the category  $E$  by post-composing (using functor composition  $\_ \circ \_$ ) the left adjoint  $L$  with  $J$ . The bijection follows from the bijection of the adjunction where  $X = \text{OMap } J X$ . The naturality follows from the naturality of the adjunction where  $f = \text{HMap } J f$ :

```
restrictA : {C D E : Cat}(J : Fun C D) → Adj D E → RAdj J E
restrictA J A = record{
  L      = L ∘ J;
  R      = R;
  rightt = rightt;
  leftt  = leftt;
  lawa   = lawa;
  lawb   = lawb;
  natrightt = natrightt ∘ HMap J;
  natleftt = natleftt ∘ HMap J}
where open Adj A
```

The adjoint functors of any adjunction can be composed to form a monad. This construction can be generalised to relative monads. Given a relative adjunction on  $J$  between functors  $L$  and  $R$  the object map of the relative monad  $T$  arises by composing the object maps of the functors  $\text{OMap } R \circ \text{OMap } L$ . To define  $\eta$ , we must produce a map from  $\text{OMap } J X$  to  $\text{OMap } R (\text{OMap } L X)$  which we do by applying `rightt` at the identity in  $D$  at  $\text{OMap } L X$ . For `bind`, we need to define a function which takes morphisms of from  $\text{OMap } J X$  to  $\text{OMap } R (\text{OMap } L Y)$  to morphisms from  $\text{OMap } R (\text{OMap } L X)$  to  $\text{OMap } R (\text{OMap } L Y)$  for any  $X$  and  $Y$ . We first apply then `leftt` to give a morphism of type  $\text{OMap } L X$  to  $\text{OMap } L Y$  and then we apply `HMap R`. The laws follow from the laws of the monad and from the functor laws. We omit the proof terms.

```
RAdj2RMon : ∀{C D E}{J : Fun C D} → RAdj J E → RMonad J
RAdj2RMon {C}{D}{E}{J} A = record{
  T      = OMap R ∘ OMap L;
  η      = rightt (iden E);
  bind   = HMap R ∘ leftt;
  law1   = ?;
  law2   = ?;
  law3   = ?}
  where open Adj A
```

Any monad can be split into an adjunction. There are two canonical ways to do this: one is due to Kleisli; and the other is due to Eilenberg and Moore. These constructions can be generalised to relative monads. We consider the relative Kleisli adjunction first.

### 5.1 Kleisli

The relative Kleisli category is defined for a relative monad  $M$  on  $J : \text{Fun } C D$ . The category  $Kl M$  has objects of  $C$  as its objects. Its morphisms are given by morphisms in  $D$  from  $\text{OMap } J X$  to  $T M Y$ . Identity is given by the  $\eta$  of the relative monad  $M$  and composition of two functions  $f : \text{Hom } D (\text{OMap } J Y) (T M Z)$  and  $g : \text{Hom } D (\text{OMap } J X) (T M Y)$  is given by composition in  $D$  of `bind M f` with  $g$ . The left identity law follows from the first law of the relative monad and the left identity law of the category  $D$ , the right identity law follows immediately from the second relative monad law, and the associativity law follows from the third relative monad law and associativity in  $D$ .

```
Kl : ∀{C} → Monad C → Cat
Kl {C} M = let open Cat C; open Monad M in record{
  Obj  = Obj;
  Hom  = λ X Y → Hom X (T Y);
  iden = η;
  comp = λ f g → comp (bind f) g;
  idl  = λ{X}{Y}{f} →
    proof
      comp (bind η) f
      ≈⟨ cong (λ g → comp g f) law1 ⟩
      comp iden f
```

```

 $\cong(\text{idl})$ 
f
■;
idr = law2;
ass =  $\lambda\{W\}\{X\}\{Y\}\{Z\}\{f\}\{g\}\{h\} \rightarrow$ 
proof
comp (bind (comp (bind f) g)) h
 $\cong(\text{cong } (\lambda f \rightarrow \text{comp } f h) \text{ law3})$ 
comp (comp (bind f) (bind g)) h
 $\cong(\text{ass})$ 
comp (bind f) (comp (bind g) h)
■}
where open Cat C; open Monad M

```

The Kleisli category of an ordinary monad can be recovered by setting  $C = D$  and  $J = \text{Id}_F$ .

We define the left adjoint of the relative Kleisli adjunction as follows:

```

RK1L :  $\forall\{C\ D\}\{J : \text{Fun } C\ D\}(M : \text{RMonad } J) \rightarrow \text{Fun } C\ (\text{K1 } M)$ 
RK1L {C}{D}{J} M = record{
  OMap = id;
  HMap =  $\lambda f \rightarrow \text{comp } D\ (\eta\ M)\ (\text{HMap } J\ f)$ ;
  fid = ?;
  fcomp = ?}

```

On objects, it does nothing (the objects are the underlying objects of  $C$ ). On morphism is lifts a morphism  $f : \text{Hom } C\ X\ Y$  to a morphism  $\text{HMap } J\ f : \text{Hom } D\ (\text{OMap } J\ X)\ (\text{OMap } J\ Y)$  and composes it with  $\eta\ M\ Y$  to give a morphism in  $\text{Hom } D\ (\text{OMap } J\ X)\ (\text{T } M\ Y)$ . The  $\text{fid}$  law follows from the  $\text{fid}$  law for  $J$  and right identity of  $D$ . The  $\text{fcomp}$  law follows from  $\text{fcomp}$  for  $J$ , associativity in  $D$ , and the second relative monad law for  $M$ .

The right adjoint is even more straightforward:

```

RK1R :  $\forall\{C\ D\}\{J : \text{Fun } C\ D\}(M : \text{RMonad } J) \rightarrow \text{Fun } (\text{K1 } M)\ D$ 
RK1R M = record{OMap = T; HMap = bind; fid = law1; fcomp = law3}
  where open Monad M

```

We can show that this forms a relative adjunction by defining:

```

K1Adj :  $\forall\{C\ D\}\{J : \text{Fun } C\ D\}(M : \text{RMonad } J) \rightarrow \text{RAdj } J\ (\text{K1 } M)$ 
K1Adj M = record{
  L = RK1L M;
  R = RK1R M;
  rightt = id;
  leftt = id;
  lawa =  $\lambda _ \rightarrow \text{refl}$ ;
  lawb =  $\lambda _ \rightarrow \text{refl}$ ;
  natrightt = ?;
  natleftt = ?}

```

The bijection holds definitionally and both naturality conditions follow from the second relative monad law for  $M$  and associativity in  $D$ . We omit the proof terms.

Again, we can recover the the ordinary Kleisli adjunction by setting  $C = D$  and  $J = \text{Id}_F C$ . The Kleisli categories for the examples of the well-typed and well-scoped terms are their respective categories of substitutions. We omit the the definitions but note that we have already defined and proved all the pieces we need to do so.

## 5.2 Eilenberg-Moore

The Eilenberg-Moore category of a monad is the category of algebras for the monad and algebra morphisms between them. The ordinary notion of an algebra for a monad  $T : C \rightarrow C$  is given by a pair of an object  $A$  in  $C$  and a morphism  $a$  from  $TA$  to  $A$ , subject to some laws. Instead of attempting to generalise this notion directly we take an alternative, but equivalent, version and generalise that. We take an algebra for a monad  $T$  to be pair of an object  $A$  in  $C$  as before and an operation  $a$  on morphisms that, for any object  $X$  in  $C$  and for any morphism from  $X$  to  $A$ , gives a morphism from  $TX$  to  $A$ . Applying  $a$  to  $A$  and the identity morphisms on  $A$  recovers the usual presentation.

An algebra for a relative monad  $M$  over a functor  $J : \text{Fun } C D$  is defined as follows:

```
record RAlg : Set where
  open Cat D
  field acar : Obj
    astr : ∀ {Z} → Hom (OMap J Z) acar → Hom (T Z) acar
    alaw1 : ∀ {Z}{f : Hom (OMap J Z) acar} →
      f ≈ comp (astr f) η
    alaw2 : ∀{Z}{W}{k : Hom (OMap J Z) (T W)}
      {f : Hom (OMap J W) acar} →
      astr (comp (astr f) k) ≈ comp (astr f) (bind k)
```

It has a carrier **acar** in  $D$  and an algebra structure **astr** that, for any  $Z : \text{Obj } C$  (taken implicitly), takes a morphism from  $\text{OMap } J Z$  to **acar** to a morphism from  $T M Z$  to **acar**, subject to two laws which state that the algebra structure **astr** interacts appropriately with the  $\eta$  and **bind** of the monad. These laws play the same role as the usual laws for an algebra of a monad and in the case of an ordinary monad (a relative monad on the identity functor) they are equivalent.

The definition of an algebra morphism for a relative monad contains a morphism on the underlying objects of the algebra, as usual, and a homomorphism condition stating we can follow the morphism first and then the algebra structure, or the other way around, to yield the same result. The formulation of this condition is slightly different from the usual formulation of an algebra morphism for a monad as we have a different notion of algebra structure.

```
record RAlgMorph (A B : RAlg) : Set
  where
  open Cat D
  open RAlg
  field amor : Hom (acar A) (acar B)
    ahom : ∀{Z}{f : Hom (OMap J Z) (acar A)} →
```

$$\text{comp amor} (\text{astr } A \ f) \cong \text{astr } B (\text{comp amor } f)$$

We define a useful lemma stating that any two algebra morphisms are equal, if the underlying morphisms are equal. This is analogous to the `NatTEq` lemma for natural transformations and such properties are very useful, whenever we define a category where the morphisms are records. We give only its type here. The proof follows from extensionality and proof irrelevance after using the `fixtypes` lemma.

$$\begin{aligned} \text{RAlgMorphEq} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\}\{X Y : \text{RAlg } M\} \\ \{f g : \text{RAlgMorph } X Y\} \rightarrow \text{amor } f \cong \text{amor } g \rightarrow f \cong g \end{aligned}$$

Next we define identity and composition of morphisms:

$$\begin{aligned} \text{IdMorph} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\}\{A : \text{RAlg } M\} \rightarrow \\ \text{RAlgMorph } A A \\ \text{IdMorph } \{C\}\{D\} = \text{record}\{\text{amor} = \text{idem } D; \text{ahom} = ?\} \end{aligned}$$

$$\begin{aligned} \text{CompMorph} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\}\{X Y Z : \text{RAlg } M\} \rightarrow \\ \text{RAlgMorph } Y Z \rightarrow \text{RAlgMorph } X Y \rightarrow \text{RAlgMorph } X Z \\ \text{CompMorph } \{C\}\{D\} f g = \text{record}\{ \\ \text{amor} = \text{comp } D (\text{amor } f) (\text{amor } g); \\ \text{ahom} = ?\} \end{aligned}$$

The underlying morphisms are just formed from identity and composition (of the underlying morphisms of the algebra morphisms being composed) in D. For the identity morphism, the naturality condition follows from left unit law in D and, for the composition morphism, it follows from the naturality properties of the morphisms being composed and associativity in D. To be able to define the relative EM category we must also prove the left and right unit laws, and associativity laws for algebra morphisms. After applying `RAlgMorphEq`, they each follow from the corresponding property of the category D:

$$\begin{aligned} \text{idMorph} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\} \\ \{X Y : \text{RAlg } M\}\{f : \text{RAlgMorph } X Y\} \rightarrow \\ \text{CompMorph IdMorph } f \cong f \\ \text{idMorph } \{C\}\{D\} = \text{RAlgMorphEq } (\text{idl } D) \end{aligned}$$

$$\begin{aligned} \text{idrMorph} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\} \\ \{X Y : \text{RAlg } M\}\{f : \text{RAlgMorph } X Y\} \rightarrow \\ \text{CompMorph } f \text{ IdMorph} \cong f \\ \text{idrMorph } \{C\}\{D\} = \text{RAlgMorphEq } (\text{idr } D) \end{aligned}$$

$$\begin{aligned} \text{assMorph} : \forall\{C D\}\{J : \text{Fun } C D\}\{M : \text{RMonad } J\}\{W X Y Z : \text{RAlg } M\} \\ \{f : \text{RAlgMorph } Y Z\} \\ \{g : \text{RAlgMorph } X Y\} \\ \{h : \text{RAlgMorph } W X\} \rightarrow \\ \text{CompMorph } (\text{CompMorph } f g) h \cong \text{CompMorph } f (\text{CompMorph } g h) \\ \text{assMorph } \{C\}\{D\} = \text{RAlgMorphEq } (\text{ass } D) \end{aligned}$$

Having defined, algebras, algebra morphism, identity, composition, and proved the laws, we can put them together to define the EM category:

```

EM : ∀{C D}{J : Fun C D} → RMonad J → Cat
EM M = record{
  Obj  = RAlg M;
  Hom  = RAlgMorph;
  iden = IdMorph;
  comp = CompMorph;
  idl  = idlMorph;
  idr  = idrMorph;
  ass   = assMorph}

```

Having defined the category `EM`, we can now define the left and right adjoint functors that make up the relative `EM` adjunction:

```

REML : ∀{C D}{J : Fun C D}(M : RMonad J) → Fun C (EM M)
REML {C}{D}{J} M = record {
  OMap = λ X → record{
    acar = T X;
    astr = bind;
    alaw1 = sym law2;
    alaw2 = law3};
  HMap = λ f → record {
    amor = bind (comp η (HMap J f));
    ahom = sym law3};
  fid  = ?>;
  fcomp = ?}
  where open Cat D; open Monad M

```

For objects of `C`, the left adjoint creates algebras by applying the monad map `T` to them and defining the algebra structure to be `bind`. The laws follow from the second and third monad laws. It is interesting to note that in the case of ordinary monads (where `C = D` and `J = IdF`), this version of algebras uses `bind` exactly where the standard version would use the multiplication of the monad  $\mu$ . For morphisms, we lift morphisms from `X` to `Y` in `C` to morphisms in `D` from `T X` to `T Y` by applying `HMap J`, composing with  $\eta$  `Y` and then applying `bind`. The homomorphism condition `ahom` of the algebra morphism follows from the third monad law. It remains to prove the functor laws for the left adjoint. These follow from the corresponding functor laws for `J`, the monad laws (first and third respectively) and the laws of the category `D`.

The right adjoint is much simpler as it simply throws away the algebra structure. On objects, it projects the underlying object and on morphisms it projects the underlying morphism. The functor laws hold definitionally.

```

REMR : ∀{C D}{J : Fun C D}(M : RMonad J) → Fun (EM M) D
REMR M = record{OMap = acar; HMap = amor; fid = refl; fcomp = refl}

```

Next we combine these functors to form a relative adjunction. This time the bijection does not hold definitionally and we have to do some work:

```

REMAdj : ∀{C D}{J : Fun C D}(M : RMonad J) → RAdj J (EM M)
REMAdj {C}{D} M = record{

```

```

L      = REML M;
R      = REMR M;
rightt = λ f → comp D (amor f) (η M);
leftt = λ{X}{B} f → record{
    amor = astr B f;
    ahom = sym (alaw2 B)};
lawa   = ?";
lawb   = "?;
natrightt = "?;
natleftt = "?;

```

To go right, we must construct a morphism of type  $\text{Hom } D (\text{OMap } J X) (\text{AOBJ } B)$  from an algebra morphism  $f$  between an algebra whose object is  $T M X$  and an algebra  $B$ .  $\text{amor } f$  gives us a morphism of type  $\text{Hom } D (T M X) (\text{acar } B)$  and by composing with  $\eta M X$  we get a morphism of the right type. To go left, we must reverse the process: given a morphism  $f : \text{Hom } D (\text{OMap } J X) (\text{acar } B)$ , we must construct an algebra morphism. We apply the algebra structure of  $B$  at  $X$  to  $f$  to give the underlying morphism (whose type is  $\text{Hom } D (T M X) (\text{acar } B)$ ) and the homomorphism condition follows from the second algebra law for  $B$ . The laws  $\text{lawa}$ ,  $\text{lawb}$ ,  $\text{natrightt}$ , and  $\text{natleftt}$  follow from the first monad law for  $M$ , the first algebra law for  $B$ , the second monad law for  $M$ , and the first algebra law for  $B$  respectively.

### 5.3 Category of adjunctions

The adjunctions for a particular monad form a category. The objects of category are the adjunctions that split the monad. The morphisms are functors between the target categories of the respective adjunctions that ‘agree’ with the adjunctions by preserving the source adjunction’s bijection. Given this setup we can characterise exactly how the Kleisli and EM adjunctions are canonical: they are respectively the initial and terminal objects of this category. This situation lifts cleanly to relative monads: we can form the category of relative adjunctions for a relative monad; and the relative Kleisli and relative EM adjunctions are the initial and terminal objects.

Objects of the category of relative adjunctions are defined as follows:

```

record ObjAdj {C D : Cat}{J : Fun C D}(M : RMonad J) : Set where
  open RMonad M
  field E : Cat
  adj : RAdj J E
  open RAdj adj
  field law : R ∘ L ≅ TFun M
  ηlaw : ∀{X} → rightt (iden E {OMap L X}) ≅ η {X}
  bindlaw : ∀{X Y}{f : Hom D (OMap J X) (T Y)} →
    HMap R (leftt (subst (Hom D (OMap J X))
                           (fcong Y (cong OMap (sym law))) f))
    ≅ bind f

```

The data of  $\text{ObjAdj}$  consists of the target category of the adjunction, and the adjunction itself. The laws ensure that composing the right and left adjoint functors does indeed give the monad and that the bijection of the adjunction agrees

with the operations of the monad. The `subst` in the `bindlaw` is necessary as `bind` expects a map in  $\text{Hom } D (\text{OMap } J X) (T Y)$  and `right` expects a map in  $\text{Hom } D (\text{OMap } J X) (\text{OMap } (R \circ L) Y)$ .

```
record HomAdj {C D : Cat}{J : Fun C D}{M : RMonad J}(A B : ObjAdj M)
  : Set where
  open RAdj
  field K : Fun (E A) (E B)
    Llaw : K ∘ L (adj A) ≈ L (adj B)
    Rlaw : R (adj A) ≈ R (adj B) ∘ K
    lefttlaw : {X : Obj C}{Y : Obj (E A)}
      {f : Hom D (OMap J X) (OMap (R (adj A)) Y)} →
      HMap K (leftt (adj A) {X}{Y} f)
      ≈
      leftt (adj B)
      {X}
      {OMap K Y}
      (subst (Hom D (OMap J X))
        (fcong Y (cong OMap Rlaw))
        f)
```

The data of `HomAdj` consists of simply a functor `K` between target categories of the adjunctions `A` and `B`,  $(E A)$  and  $(E B)$  respectively. This functor is subject to the laws that  $K \circ L (\text{adj } A) \approx L (\text{adj } B)$  and  $R (\text{adj } A) \approx R (\text{adj } B) \circ K$ , and that the bijection is preserved:  $HMap K (\text{leftt } (\text{adj } A) f) \approx \text{leftt } (\text{adj } B) f$ . To make the bijection preservation condition type check we use `subst` again as on one side we need a morphism in  $\text{Hom } D (\text{OMap } J X) (\text{OMap } (R (\text{adj } A)) Y)$  and on the other we need a morphism in  $\text{Hom } D (\text{OMap } J X) (\text{OMap } (R (\text{adj } B) \circ K) Y)$ .

We define identity and composition of morphisms of adjunctions as follows:

```
idHomAdj : {C D : Cat}{J : Fun C D}{M : RMonad J}{f : ObjAdj M} →
  HomAdj X X
idHomAdj {C}{D}{J}{M}{f} = record {
  K          = IdF (E f);
  Llaw       = ?;
  Rlaw       = ?;
  lefttlaw   = ?}

compHomAdj : {C D : Cat}{J : Fun C D}{M : RMonad J}
  {X Y Z : ObjAdj M} →
  HomAdj Y Z → HomAdj X Y → HomAdj X Z
compHomAdj {C}{D}{J}{M}{X}{Y}{Z} f g = record {
  K          = K f ∘ K g;
  Llaw       = ?;
  Rlaw       = ?;
  lefttlaw   = ?}
```

Notice that data `K` for identity is just given by the identity functor and for composition it is given by functor composition. To prove the three proof conditions in

each case we use the a lemma

```
FunctorEq : ∀{C D}(F G : Fun C D) →
  OMap F ≅ OMap G →
  (∀{X Y}(f : Hom C X Y) → HMap F f ≅ HMap G f) →
  F ≅ G
```

which allows us to prove that functors are equal analogously the `NatTEq` and `RAlgMorphEq`. The presence of `subst` in the type of `leftlaw` introduces complications but these can largely be dispensed with by introducing auxiliary lemmas which abstract over the proofs of functor composition `Rlaw` and `Llaw` for the adjunctions `f`, and `f` and `g`. In these lemmas we can then pattern match on these proofs which makes all the `subs` compute. Having defined identity `idHomAdj` and composition `compHomAdj` we define a lemma which says that if the morphisms of adjunctions are equal of their underlying functors are equal

```
HomAdjEq : {C D : Cat}{J : Fun C D}{M : RMonad J}{A B : ObjAdj M}
  (f g : HomAdj A B) → K f ≅ K g → f ≅ g
```

and prove the categorical laws (omitted). We can then define the category:

```
AdjCat : {C D : Cat}{J : Fun C D}(M : RMonad J) → Cat
AdjCat M = record{
  Obj = ObjAdj M;
  Hom = HomAdj;
  iden = idHomAdj;
  comp = compHomAdj;
  idl = idlHomAdj;
  idr = idrHomAdj;
  ass = assHomAdj}
```

#### 5.4 Kleisli is initial

An initial object in a category `C` is given by an object `I`, for any other object `X` a map `i : Hom C I X` and a proof that for any other map `f : Hom C I X`, `i ≅ f`:

```
record Init (C : Cat) : Set where
  field I : Obj C
    i : ∀{X} → Hom C I X
    law : ∀{X}{f : Hom C I X} → i {X} ≅ f
```

To prove that `Kleisli` is initial we first define the object `I` which is an `ObjAdj` given by a target category `E`, an adjunction `adj` and three proofs. We plug in the Kleisli category and its adjunction:

```
KlObj : {C D : Cat}{J : Fun C D}(M : RMonad J) →
  Obj (AdjCat M)
KlObj {C}{D}{J} M = record {
  E = Kl M;
  adj = KlAdj M;
  law = ?;
  ηlaw = ?;
  bindlaw = ?}
```

The proofs follow trivially. The morphism  $i$  is given by a morphism  $KlHom\ M$  of adjunctions. It is given by a functor  $K$  satisfying the law  $Rlaw, Llaw$  and  $lefttlaw$ . The object map  $OMap\ K$  is given by the object map of the left adjoint of the target adjunction  $A$ . The morphism map  $HMap\ K$  is given by the  $leftt$  operation of the target adjunction  $A$ .  $fid$  and  $fcomp$  follow from the fact that  $R\ (adj\ A) \circ L\ (adj\ A) \cong TFun\ M$ , properties of the bijection in  $A$  and  $\eta law$  and  $bindlaw$  for  $A$  respectively.  $Llaw, Rlaw$  and  $lefttlaw$  also follow from the fact that  $R\ (adj\ A) \circ L\ (adj\ A) \cong TFun\ M$ , properties of the bijection, and  $\eta law$  ( $Llaw$ ) and  $bindlaw$  ( $Rlaw$  and  $lefttlaw$ ).

```
KlHom : ∀{C D}{J : Fun C D}(M : RMonad J){A : Obj (AdjCat M)} →
         Hom (AdjCat M) (KlObj M) A
KlHom {C}{D}{J} M {A} = record {
  K           = record {
    OMap      = OMap (L (adj A));
    HMap      = λ{X}{Y} f →
      leftt (adj A)
        (subst (Hom D (OMap J X))
          (fcong Y (cong OMap (sym (ObjAdj.law A))))
          f);
    fid       = ?;
    fcomp     = ?};
    Rlaw      = ?;
    Llaw      = ?;
    lefttlaw  = ?}
```

we can now prove initiality:

```
KlIsInit : ∀{C D}{J : Fun C D}(M : RMonad J) → Init (AdjCat M)
KlIsInit {C}{D}{J} M = record {
  I   = KlObj M;
  i   = KlHom M;
  law = ?}
```

We omit the uniqueness proof. The proof is not complicated, it simply relies on all three properties of the arbitrary morphism and the fact that  $R\ (adj\ A) \circ L\ (adj\ A) \cong TFun\ M$  for the target object  $A$ .

## 5.5 EM is terminal

A terminal object is defined dually:

```
record Term (C : Cat) : Set where
  field T   : Obj C
  t   : ∀{X} → Hom C X T
  law : ∀{X}{f : Hom C X T} → t {X} ≈ f
```

We plug in the  $EM$  adjunction for the object  $T$  as follows:

```
EMObj : {C D : Cat}{J : Fun C D}(M : RMonad J) → Obj (AdjCat M)
EMObj {C}{D}{J} M = record {
  E       = EM M;
  adj    = REMAdj M;
```

```

law      = ?;
ηlaw    = ?;
bindlaw = ?}

```

The proofs follow trivially as for Kleisli. The morphism  $t$  which this time is from an arbitrary adjunction to the EM adjunction is defined as follows:

```

EMHom : ∀{C D}{J : Fun C D}(M : RMonad J){A : Obj (AdjCat M)} →
         Hom (AdjCat M) A (EMObj M)
EMHom {C}{D}{J} M {A} = record {
  K      = record {
    OMap = λ X → record {
      acar = OMap (R (adj A)) X;
      astr = λ {Z} f →
        subst (λ Z → Hom D Z (OMap (R (adj A)) X))
              (fcong Z (cong OMap (law A)))
              (HMap (R (adj A)) (leftt (adj A) f));
      alaw1 = ?;
      alaw2 = ?};
    HMap = λ f → record {
      amor = HMap (R (adj A)) f;
      ahom = ?};
    fid  = ?;
    fcomp = ?};
  Llaw  = ?;
  Rlaw  = ?;
  lefttlaw = ?}

```

We omit discussion of the proof conditions due to their number and concentrate on the data. The morphism in the category of adjunctions is given by a functor  $K$  satisfying some laws. This functor is a functor into the EM category whose objects are algebras and whose morphisms are algebra morphism. The object map  $OMap_K$ , for a given object  $X$  constructs an algebra given by a carrier  $acar = OMap (R (adj A)) X$  and a structure map  $astr$  given by applying the bijection of the source object adjunction  $A$  and then its right adjoint  $R (adj A)$ . The morphism map  $HMap_K$  is given by applying the right adjoint  $R (adj A)$ . Having defined  $EMObj$  and  $EMHom$  (and the uniqueness proof which we omit) we can prove terminality:

```

EMIsTerm : {C D : Cat}{J : Fun C D}(M : RMonad J) →
            Term (AdjCat M)
EMIsTerm {C}{D}{J} M = record {
  T   = EMObj M;
  t   = EMHom M;
  law = ?}

```

## 5.6 Set-model of the well-typed $\lambda$ -terms

The set-model of the well-typed  $\lambda$ -terms form a relative EM algebra for the relative monad  $TM$  in quite a natural way. The idea is to define interpretation of object level types as Agda types, and an evaluator (the interpretation of terms) which

maps terms to values (the interpretation of types) given a suitable environment (environments are interpretations of contexts). One could also say that a term  $t : \text{Tm } \Gamma \sigma$  is interpreted as a function from the interpretation of the context  $\text{Env } \Gamma$  to the interpretation of the type  $\text{Val } \sigma$ .

The values form the carrier of the algebra and the evaluator forms the algebra structure.

Let us look at the construction in detail. First we define the interpretation of object types  $\text{Ty}$  as Agda types  $\text{Set}$ .

$$\begin{aligned}\text{Val} &: \text{Ty} \rightarrow \text{Set} \\ \text{Val } \iota &= \mathbb{N} \\ \text{Val } (\sigma \Rightarrow \tau) &= \text{Val } \sigma \rightarrow \text{Val } \tau\end{aligned}$$

The inert base type is interpreted as the set of natural numbers  $\mathbb{N}$  but any other type would do the same job as it will only contain neutral terms in the case of simply-typed  $\lambda$ -calculus. The object level function space is interpreted as the meta-level (Agda) function space. Together with the datatype  $\text{Ty}$ , the set-valued function  $\text{Val}$  is a very simple, and very useful, example of a universe construction.

Next we interpret contexts as environments, they are like substitutions, but emit values over a type instead of terms over a context and type. We also define an operation  $\_<<\_$  to extend an environment by a new value which we will need for the evaluator.

$$\begin{aligned}\text{Env} &: \text{Con} \rightarrow \text{Set} \\ \text{Env } \Gamma &= \forall \{\sigma\} \rightarrow \text{Var } \Gamma \sigma \rightarrow \text{Val } \sigma \\ \_<<\_ &: \forall \{\Gamma \sigma\} \rightarrow \text{Env } \Gamma \rightarrow \text{Val } \sigma \rightarrow \text{Env } (\Gamma < \sigma) \\ (\gamma << v) \text{ zero} &= v \\ (\gamma << v) \text{ (suc } x) &= \gamma x\end{aligned}$$

Given  $\text{Val}$ ,  $\text{Env}$  and  $\_<<\_$  we have all that we need to define a simple evaluator:

$$\begin{aligned}\text{eval} &: \forall \{\Gamma \sigma\} \rightarrow \text{Env } \Gamma \rightarrow \text{Tm } \Gamma \sigma \rightarrow \text{Val } \sigma \\ \text{eval } \gamma (\text{var } x) &= \gamma x \\ \text{eval } \gamma (\text{app } t u) &= \text{eval } \gamma t (\text{eval } \gamma u) \\ \text{eval } \gamma (\text{lam } t) &= \lambda v \rightarrow \text{eval } (\gamma << v) t\end{aligned}$$

It takes a environment over  $\Gamma$ , a term in context  $\Gamma$  of type  $\sigma$  and emits a value of type  $\sigma$ . In the variable case, it looks up the variable in the environment. In the case of application, we evaluate the function in the environment to give a real Agda function which we can then run it on the evaluated argument. In the case of  $\lambda$ -abstraction, we must produce a function. We define this as a meta level (Agda)  $\lambda$ -abstraction which takes a value of appropriate type. When this argument value arrives the evaluator will evaluate the body  $t$  in the original environment extended with the new value  $v$ . We have essentially created a closure. That is the end of our program. We now need to prove some properties and perform some categorical constructions to show that the set model forms an algebra.

We need five lemmas to proceed. The first lemma shows that we can commute evaluation with substitution by a type equation:

$$\text{substeval} : \forall \{\sigma \tau\} (p : \sigma \cong \tau) \{\Gamma : \text{Con}\} \{\gamma : \text{Env } \Gamma\} (t : \text{Tm } \Gamma \sigma) \rightarrow$$

```
(subst Val p o eval γ) t ≈ (eval γ o subst (Tm Γ) p) t
substeval refl t = refl
```

The second lemma show that `wk` commutes with `_<<_`:

```
wk<< : ∀{Γ Δ}(α : Ren Γ Δ)(β : Env Δ){σ}(v : Val σ) →
    ∀{ρ}(y : Var (Γ < σ) ρ) →
        ((β o α) << v) y ≈ (β << v) (wk α y)
wk<< α β v zero = refl
wk<< α β v (suc x) = refl
```

The third shows that we can commute renaming and evaluation:

```
reneval : ∀{Γ Δ σ}(α : Ren Γ Δ)(β : Env Δ)(t : Tm Γ σ) →
    eval (eval β o var o α) t ≈ (eval β o ren α) t
reneval α β (var x) = refl
reneval α β (app t u) =
    cong₂ (λ f x → f x) (rreneval α β t) (rreneval α β u)
rreneval α β (lam t) = ext λ v →
    trans (cong (λ γ → eval γ t) (iext λ _ → ext (wk<< α β v)))
        (rreneval (wk α) (β << v) t)
```

The fourth shows that we can lift and context extension in evaluation:

```
lifteval : ∀{Γ Δ σ τ}(α : Sub Γ Δ)(β : Env Δ)
    (v : Val σ)(y : Var (Γ < σ) τ) →
        ((eval β o α) << v) y ≈ (eval (β << v) o lift α) y
lifteval α β v zero = refl
lifteval α β v (suc x) = rreneval suc (β << v) (α x)
```

The fifth lemma shows that we can commute evaluation and substitution:

```
subeval : ∀{Γ Δ σ}(α : Sub Γ Δ)(β : Env Δ)(t : Tm Γ σ) →
    eval (eval β o α) t ≈ (eval β o sub α) t
subeval α β (var x) = refl
subeval α β (app t u) =
    cong₂ (λ f x → f x) (subeval α β t) (subeval α β u)
subeval α β (lam t) = ext λ v →
    trans (cong (λ γ → eval γ t) (iext λ _ → ext (lifteval α β v)))
        (subeval (lift α) (β << v) t)
```

Given these lemmas, we can show that the set model forms an relative EM algebra:

```
modelRALg : RAlg TmRMonad
modelRALg = record {
    acar = Val;
    astr = λ {Γ} → λ γ → eval γ;
    alaw1 = refl;
    alaw2 = λ {Γ Δ α γ} → iext λ σ → ext (subeval α γ)}
```

The carrier of the algebra is given by `Val`, the algebra structure is given by the evaluator `eval`, the first law `alaw1` holds definitionally and the second law `alaw2` follows from the lemma `subeval` which we just proved.

Since the set-model validates the  $\beta$  and  $\eta$  laws it is also an algebra of the variation of  $\text{TmRMonad}$  where each  $\text{Tm } \Gamma \sigma$  is quotiented by  $\beta\eta$ -equality.

### 5.7 Extensional $\lambda$ -models of the well-scoped $\lambda$ -calculus

There is no set-model of the well-scoped (untyped)  $\lambda$ -terms. So, instead we do something more general: we give a specification for a model and show that any such model yields a relative EM-algebra.

We define an extensional  $\lambda$ -model in the same style as we have defined other mathematical structures. It has some data: a set  $S$ ; an operation `eval` that, given an appropriate environment, evaluates a well-scoped term to give a value in  $S$ ; and an operation `ap` which performs application on values in  $S$ . The behaviour of these data is governed by four laws: three laws governing how the syntax is evaluated (notice that the law for `lam` applies only in the presence of an argument); and an extensionality principle.

```
record LambdaModel : Set where
  field S      : Set
    eval   : ∀{n} → (Var n → S) → Tm n → S
    ap     : S → S → S
    lawvar : ∀{n}{i : Var n}{γ : Var n → S} →
              eval γ (var i) ≈ γ i
    lawapp : ∀{n}{t u : Tm n}{γ : Var n → S} →
              eval γ (app t u) ≈ ap (eval γ t) (eval γ u)
    lawlam : ∀{n}{t : Tm (s n)}{γ : Var n → S}{s : S} →
              ap (eval γ (lam t)) s ≈ eval (γ << s) t
    lawext : ∀{f g : S} →
              ((a : S) → ap f a ≈ ap g a) → f ≈ g
```

In the definition of `lamlaw`, we need to be able to extend the environment, so we implement an operation to do this:

```
_<<_ : ∀{n X} → (Var n → X) → X → Var (s n) → X
(f << x) zero    = x
(f << x) (suc i) = f i
```

To define an EM-algebra, we require versions of exactly the same lemmas as we required for the set-model in the typed-case. We omit their proofs and give only the types. There is one key difference in the proofs which is that we must explicitly use the equations `lawvar`, `lawapp`, `lawlam`. In the case of the set-model, where `eval` and `ap` are functions, these principles hold definitionally and are invisible in the proofs.

```
wk<<   : ∀(l : LambdaModel){m n}
          (α : Var m → Var n)(β : Var n → S l)
          (v : S l) → (y : Var (s m)) →
          ((β ∘ α) << v) y ≈ (β << v) (wk α y)
reneval : ∀(l : LambdaModel){m n}
          (α : Var m → Var n)(β : Var n → S l)
          (t : Tm m) →
          eval l (eval l β ∘ (var ∘ α)) t ≈ (eval l β ∘ ren α) t
```

```

lift<< : ∀(l : LambdaModel){m n}
  (γ : Var m → Tm n)(α : Var n → S l)
  (a : S l)(i : Var (s m)) →
  ((eval l α ∘ γ) << a) i ≈ (eval l (α << a) ∘ lift γ) i
subeval : ∀(l : LambdaModel){m n}(t : Tm m)
  (γ : Var m → Tm n)(α : Var n → S l) →
  eval l (eval l α ∘ γ) t ≈ (eval l α ∘ sub γ) t

```

Having proved `subeval` (using the three previous lemmas), we can define a relative EM algebra on the monad `TmRMonad`:

```

TmRAlg : LambdaModel → RAlg TmRMonad
TmRAlg l = record{
  acar  = S;
  astr  = eval;
  alaw1 = ext λ _ → sym lawvar;
  alaw2 = ext λ t → subeval t _ _}
  where open LambdaModel l

```

The object is given by the set `S` and the map by `eval`. The first law follows from `lawvar` (recall that this followed definitionally in the set-model) and the second from the lemma `subeval`.

## 6. CONCLUSION

We have presented a self-contained and detailed account of our formalisation of relative monads and relative adjunctions, with some examples.

Due to reasons of space, we have not described everything we have formalised. Every construction we have performed for relative monads has also been carried out for ordinary monads as well. Here in the paper we have included only the definitions of ordinary monads and adjunctions. We have done this for both styles of monads, i.e., for Manes style with an object mapping `T` and operations  $\eta$  `bind` and also as a functor `T` with natural transformations  $\eta$  and  $\mu$ .

Formalisation of the further theory of relative monads (Sections 3, 4 of [ACU10]) requires Kan extensions. We expect that our calculus of coends as presented in Section 3.1 of [ACU10] lends itself to formalisation, but this is future work. We also plan to advance our running examples, as we add more of the relative monads machinery, and also to give a treatment of the further example of arrows as relative monads (Section 5 of [ACU10]).

We have already discussed the question of extensionality. For the formalisation done so far it is sufficient to assume functional extensionality but going further would require quotient types in particular to develop the coend calculus. This can be achieved by adding further postulates which state that every setoid gives rise to a set. Formally this corresponds to using a type theory with exact coequalizers, this is often referred to as a *predicative topos* [vdB10]. Clearly, adding postulates to Agda is unsatisfying for several reasons: first of all arbitrary postulates could be easily unsound, and second the resulting type theory is computationally not well behaved forcing us to prove equations which should just be definitional equalities. We hope that the situation will improve once implementations of Observational Type Theory [AMS07] become available and ready for serious formalisations.

## References

- [CUV14] Chapman, J., Uustalu, T. and Veltri, N. (2014) Restriction categories formalized. Submitted to TYPES 2014.
- [Agda] The Agda team. <http://wiki.portal.chalmers.se/agda/>
- [ACU10] Altenkirch, T., Chapman, J. and Uustalu, T. (2010) Monads need not be endofunctors. In Ong, L. (editor) Proc. of 13th Int. Conf. on Foundations of Software Science and Computation Structures, FoSSaCS 2010. Lect. Notes in Comput. Sci. Volume 6014. 297–311. Springer.
- [AMS07] Altenkirch, T., McBride, C. and Swierstra, W. (2007) Observational equality, now! Proc. of Workshop on Programming Languages Meet Program Verification, PLPV 2007. 57–68. ACM, New York.
- [AP90] Altucher, J. A. and Panangaden, P. (1990) A mechanically assisted constructive proof in category theory. In Stickel, M. E. (editor) Proc. of 10th Int. Conf. on Automated Deduction, CADE-10. Lect. Notes in Artif. Intell. Volume 449. 500–513. Springer.
- [C98] Carvalho, A. (1998) Category Theory in Coq. Diploma Thesis. Instituto Superior Técnico, Universidade Técnica de Lisboa.
- [C14] Chapman, J. (2014) A formalisation of relative monads in Agda. <http://cs.ioc.ee/~james/relmon.html>
- [CS07] Coquand, T. and Spiwack, A. (2007) Towards constructive homological algebra in type theory. Kauers, M. et al. (editors) Proc. of 14th Symp. on the Integration of Symbolic Computation and Mechanized Reasoning, 6th Int. Conf. on Mathematical Knowledge Management, CALCULEMUS/MKM 2007. Lect. Notes in Comput. Sci. Volume 4573. 40–54. Springer.
- [D07] Dawson, J. E. (2007) Compound monads and the Kleisli category. Unpublished note. Available online at <http://users.cecs.anu.edu.au/~jeremy/pubs/cmkc/>.
- [DG94] Dybjer, P. and Gaspes, V. (1994) Implementing a category of sets in ALF. Technical Report. Dept. of Computer Science, Chalmers Univ. of Technology.
- [D85] Dyckhoff, R. (1985) Category theory as an extension of Martin-Löf type theory. Techn. report, Dept. of Computer Science, Univ. of St. Andrews.
- [Haskell] The Haskell Team. Haskell Website. <http://www.haskell.org>.
- [H95] Hofmann, M. (1995) Extensional concepts in intensional type theory. PhD Thesis. University of Edinburgh.
- [HS98] Huet, G. and Saïbi, A. (2000) Constructive category theory. In Plotkin, G., Stirling, C. and Tofte, M. Proof, Language, and Interaction: Essays in Honour of Robin Milner. 239–275. MIT Press.
- [O12] Orchard, D. (2012) Categorical programming for data types with restricted parametericity. Unpublished note. Available online at <http://www.cl.cam.ac.uk/~dao29/>.
- [OK04] O’Keefe, G. (2004) Towards a readable formalisation of category theory. Electron. Notes in Theor. Comput. Sci. 91, 212–228.

- [S10] Sozeau, M. (2010) Cat: category theory with classes. A Coq formalization. Available online at <http://mattam.org/repos/coq/cat/>.
- [vdB10] van den Berg, B. (2006) Predicative topos theory and models for constructive set theory. PhD thesis. Universiteit Utrecht.
- [W05] Wilander, O. (2005) An E-bicategory of E-categories exemplifying a type-theoretic approach to bicategories. Technical Report. University of Uppsala.