

# Relating ordinals in set theory to ordinals in type theory

Tom de Jong<sup>1</sup>, Nicolai Kraus<sup>1</sup>, Fredrik Nordvall Forsberg<sup>2</sup>, and Chuangjie Xu<sup>3</sup>

<sup>1</sup> University of Nottingham, Nottingham, UK  
{tom.dejong, nicolai.kraus}@nottingham.ac.uk

<sup>2</sup> University of Strathclyde, Glasgow, UK  
fredrik.nordvall-forsberg@strath.ac.uk

<sup>3</sup> SonarSource GmbH, Bochum, Germany  
chuangjie.xu@sonarsource.com

Set theory and dependent type theory are two very different settings in which constructive mathematics can be developed, but not always in comparable ways. Lively discussions on what foundation is “better” are not uncommon. While we do not dare to offer a judgment on this question, we can at least report that the choice of foundation is in a certain sense insignificant for the development of constructive ordinal theory. We consider this an interesting finding since ordinals are fundamental in the foundations of set theory and are used in theoretical computer science in termination arguments [7] and semantics of inductive definitions [1, 5].

**Set-theoretic and type-theoretic ordinals coincide** In constructive set theory [3], following Powell’s seminal work [9], the standard definition of an ordinal is that of a *transitive* set whose elements are again transitive sets. A set  $x$  is transitive if for every  $y \in x$  and  $z \in y$ , we have  $z \in x$ . Note how this definition makes essential use of how the membership predicate  $\in$  in set theory is global, by simultaneously referring to  $z \in y$  and  $z \in x$ . In type theory, on the other hand, the statement “if  $y : x$  and  $z : y$  then  $z : x$ ” is ill-formed, and so ordinals need to be defined differently. In HoTT, an ordinal is defined to be a type equipped with a proposition-valued order relation that is transitive, extensional, and wellfounded [10, §10.3]. Extensionality implies that the underlying type of an ordinal is a set [6].

A priori, the set-theoretic and the type-theoretic approaches to ordinals are thus quite different. One way to compare them is to interpret one foundation into the other. Aczel [2] gave an interpretation of Constructive ZF set theory into type theory using setoids, which was later refined using a higher inductive type  $\mathbb{V}$  in [10, §10.5], referred to as the *cumulative hierarchy*.

The type  $\mathbb{V}$  allows us to define a set membership relation  $\in$ , which makes it possible to consider the type  $\mathbb{V}_{\text{ord}}$  of elements of  $\mathbb{V}$  that are set-theoretic ordinals. Similarly, we write  $\text{Ord}$  for the type of all type-theoretic ordinals, i.e., for the type of transitive, extensional, and wellfounded orders. We show that  $\mathbb{V}_{\text{ord}}$  and  $\text{Ord}$  are equivalent, meaning that we can translate between type-theoretic and set-theoretic ordinals.

This translation by itself would not be satisfactory if it was not well-behaved; what makes it valuable is that it preserves the respective order. A fundamental result about type-theoretic ordinals is that, using univalence, the type  $\text{Ord}$  of (small) ordinals is itself a type-theoretic ordinal when ordered by inclusion of strictly smaller initial segments (also referred to as *bounded simulations*). To complement this, we show that the type  $\mathbb{V}_{\text{ord}}$  of set-theoretic ordinals also canonically carries the structure of a type-theoretic ordinal. The isomorphisms that we construct respect these orderings, and our first main result is that  $\text{Ord}$  and  $\mathbb{V}_{\text{ord}}$  are isomorphic as ordinals. Thus, the set-theoretic and type-theoretic approaches to ordinals coincide in HoTT.

**Generalizing from ordinals to sets** Since the subtype  $\mathbb{V}_{\text{ord}}$  of  $\mathbb{V}$  is isomorphic to  $\text{Ord}$ , a type of ordered structures, it is natural to ask if there is a type of ordered structures that captures *all* of  $\mathbb{V}$ . That is, we look for a type  $T$  of ordered structures such that Diagram 1 below commutes.

Since  $\mathbb{V}$  is  $\mathbb{V}_{\text{ord}}$  with transitivity dropped, it is tempting to try to choose  $T$  to be  $\text{Ord}$  without transitivity, i.e., the type of extensional and wellfounded orders. However such an attempt is too naive to work: consider the type-theoretic ordinal  $\alpha$  with two elements  $0 < 1$ , whose corresponding set in  $\mathbb{V}_{\text{ord}}$  is the set  $2 = \{\emptyset, \{\emptyset\}\}$ . The latter is the transitive closure of the non-transitive set  $\{\{\emptyset\}\} \subseteq 2$ , but the only extensional, wellfounded order whose transitive closure is  $\alpha$  is  $\alpha$  itself.

$$\begin{array}{ccc} \mathbb{V}_{\text{ord}} & \xrightarrow{\cong} & \text{Ord} \\ \downarrow & & \downarrow \\ \mathbb{V} & \xrightarrow{\cong} & T \end{array} \quad (1)$$

In other words, there cannot be an order-preserving isomorphism between  $\mathbb{V}$  and the type of extensional, wellfounded orders, since there is no corresponding order for the set  $\{\{\emptyset\}\}$  — we need additional structure to fully capture this set.

To this end, we introduce the theory of (*covered*) *marked extensional wellfounded orders* (*mewos*), i.e., extensional wellfounded orders with additional structure in the form of a *marking*.<sup>1</sup> The idea is that the carrier of the order also contains elements representing elements of elements of the set, with the marking designating the “top-level” elements: the set  $\{\{\emptyset\}\}$  is again represented by the order  $\alpha$  with two elements  $0 < 1$ , but with only element 1 marked. Such a marking is *covering* if any element can be reached from a marked top-level element, i.e., if the order contains no “junk”. Since every ordinal can be equipped with the trivial covering by marking all elements, the type  $\text{Ord}$  of ordinals is a subtype of the type of covered mewos  $\text{MEWO}_{\text{cov}}$ .

After developing the theory of covered mewos, which requires some extra care compared to ordinals as the orders involved are not necessarily transitive, we are then indeed able to prove that  $\mathbb{V}$  and  $\text{MEWO}_{\text{cov}}$  are both extensional wellfounded orders and, when equipped with the trivial marking, are equal as covered mewos. Thus, we can take  $T$  to be  $\text{MEWO}_{\text{cov}}$  in Diagram 1.

**Formalization and preprint** Our results are presented in our recent preprint [4] which is supported by a complete Agda formalization, an HTML rendering of which can be found at <https://tdejong.com/agda-html/st-tt-ordinals/index.html>.

## References

- [1] Peter Aczel. An introduction to inductive definitions. In Jon Barwise, editor, *Handbook of Mathematical Logic*, volume 90 of *Studies in Logic and the Foundations of Mathematics*, pages 739–782. North-Holland Publishing Company, 1977.
- [2] Peter Aczel. The type theoretic interpretation of constructive set theory. In A. MacIntyre, L. Pacholski, and J. Paris, editors, *Logic Colloquium ’77*, volume 96 of *Studies in Logic and the Foundations of Mathematics*, pages 55–66. North-Holland Publishing Company, 1978.
- [3] Peter Aczel and Michael Rathjen. Notes on constructive set theory. Book draft, available at: <https://www1.maths.leeds.ac.uk/~rathjen/book.pdf>, 2010.
- [4] Tom de Jong, Nicolai Kraus, Fredrik Nordvall Forsberg, and Chuangjie Xu. Set-theoretic and type-theoretic ordinals coincide. [arXiv\[cs.LG\]:2301.10696](https://arxiv.org/abs/2301.10696), 2023.
- [5] Peter Dybjer and Anton Setzer. A finite axiomatization of inductive-recursive definitions. In Jean-Yves Girard, editor, *Typed Lambda Calculi and Applications*, volume 1581 of *Lecture Notes in Computer Science*, pages 129–146. Springer, 1999.
- [6] Martín Hötzel Escardó et al. Ordinals in univalent type theory in Agda notation. Agda development, HTML rendering available at: <https://www.cs.bham.ac.uk/~mhe/TypeTopology/Ordinals.index.html>, 2018.

<sup>1</sup>Similar ideas were used by Osius [8] to give a categorical account of set theory.

- [7] Robert W. Floyd. Assigning meanings to programs. In J. T. Schwartz, editor, *Mathematical Aspects of Computer Science*, volume 19 of *Proceedings of Symposia in Applied Mathematics*, pages 19–32. American Mathematical Society, 1967.
- [8] Gerhard Osius. Categorical set theory: A characterization of the category of sets. *Journal of Pure and Applied Algebra*, 4(1):79–119, 1974.
- [9] William C. Powell. Extending Gödel’s negative interpretation to ZF. *The Journal of Symbolic Logic*, 40(2):221–229, 1975.
- [10] Univalent Foundations Program. *Homotopy Type Theory: Univalent Foundations of Mathematics*. <https://homotopytypetheory.org/book>, Institute for Advanced Study, 2013.